WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	CORD (W)	VC-5)				KOLAR D	OC ID	WELL ID_		
LOCATION OF WATER WEL	L				Or	iginal Recor	d Correction	Chang	je in Wel	II Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty			***			
WATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF I	POTENTIAL C	ONTAMIN	NOITAN
Name							Source:			
Business			COMPLE	TION						
					- 1 11	<i>a</i>	from well:	_ from we	ell:	
Address			I		ed well: vater encountered:	II.	Source description:			
					(2) ft.;		Source:			
Well location			(3)	ft.; (4) dry well		Distance from well:	Direction from we	on ell:	
at owner's address			I		n well: ft.		Source description:	_ Hom we		
CONSTRUCTION			mea		ve land surface		No potential source within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dian	neter:	on (mm/dd/yy	r):		PERMIT & ID NUMBER	S (AS REOU	IRED)	
fromto ft.		_ in.	Estimat	ed yield: _	gpm					
fromto ft.		_ in.	Water le	evel was: _	ft. after	hours	DWR Application No.			
Casing height above land su	ırface:	in.			pumping	gpm	KDHE / EPA Project (
If casing height is less th			Pump ii	nstalled?	Yes No		Site Name:			
has a variance been approved?* Yes No *variance not required for monitoring			Water w	rell disinfe	cted? Yes No		KDHE UIC Class V Fo	•		
or environmental reme					mm/dd/yy):		County Permit: Yes			
Casing type:			- Date and				Lease Name & Well #:			
Blank casing interval:	ft. to	ft.	Aquifer	if known	:		# of boreholes:	# of dewate	ring weiis:	
Blank casing diameter:	in.		LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTI	RVALS				
Weight:lb										
Wall thickness or gauge		I								
Blank casing interval:		ft.								
Blank casing diameter:										
Casing joints:		_								
8	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	oft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMME	NTS						
Screen / perforation materia	l:									
Screen / perforation openin	gs:		CONTRA	CTOR'S	OR LANDOWNERS CE	RTIFICATION				
Screen / perforation interval	s:		This wa	ater well	was constructed	reconstru	cted pursuant to	the stated w	vater well	l
Fromft. to	_ft.		contra	ctor's lice	nse and was comple	eted on	I certify the	at this recor	d is true	to
Slot size unit			the bes	t of my k	nowledge and belie	f. This water v	vell record was comple	eted on		
From ft. to	_ft.			-	=		1			
Slot size unit							under the au			
Gravel pack intervals:										
Gravel pack not used:	Gravel size	in	-			and signed	d and certified by the e	nectronic sig	gnature o	и спе
From ft. to	ft.				on at its submittal:_		·			
Gravel pack not used:	Gravel size	in	Send one	copy to W	ATER WELL OWNER	R and retain one	for your records. Fee of \$	5.00 for each	constructo	ed well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1838353
Well Owner	MICHAEL E COX REV TRUST
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	2	topsoil,brown,soft
2	10	caliche,white,firm
10	14	clay,gray,soft
14	17	clay,white,soft
17	26	caliche,white,firm
26	34	sand,fine,stiff
34	39	clay,sandy,brown,soft
39	58	sand & gravel,fine to coarse,firm
58	73	clay,sandy,brown,firm
73	88	sand & gravel, fine to coarse, firm
88	128	sand,fine to coarse,firm
128	150	sand,fine to coarse,firm
150	172	sand,fine to coarse,firm
172	181	sand,fine to medium,clayey,brown,soft
181	190	sand,fine to coarse,firm
190	197	clay,sandy,brown,soft
197	206	sand,fine to coarse,firm
206	215	clay,brown,soft
215	231	clay,blue,soft
231	261	sand,fine to coarse,firm
261	339	sand & gravel,fine to coarse,stiff

Form	WWC5.2 - Water Well Record
Doc ID	1838353
Well Owner	MICHAEL E COX REV TRUST
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
339	349	clay,brown,soft
349	383	sand,fine to coarse,firm
383	406	clay,sandy,brown,soft
406	413	sand,fine to medium,soft
413	435	clay,sandy,tan,soft
435	449	clay,fine to medium,sandy,tan,soft
449	463	sand,fine to medium,soft
463	481	clay,brown,soft
481	488	clay,fine,sandy,tan,soft
488	494	sand,fine to medium,soft
494	504	clay,brown,stiff
504	555	other,fine,red,hard,REDBED