

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____ WELL ID _____

Original Record Correction Change in Well Use

LOCATION OF WATER WELL

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

WATER WELL OWNER

Name	
Business	
Address	
Well location at owner's address	

WELL WATER USE

--

COMPLETION

Depth of completed well: _____ ft.
Depth(s) groundwater encountered:
(1) _____ ft.; (2) _____ ft.;
(3) _____ ft.; (4) dry well
Static water level in well: _____ ft.
measured below land surface
on (mm/dd/yy): _____
measured above land surface
on (mm/dd/yy): _____
Estimated yield: _____ gpm
Water level was: _____ ft. after _____ hours
pumping _____ gpm
Pump installed? Yes No
Water well disinfected? Yes No
Date disinfected (mm/dd/yy): _____
Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
No potential source of contamination within 100 feet.

CONSTRUCTION

Borehole interval:	Borehole diameter:
from _____ to _____ ft.	_____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?*	Yes No
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals:	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals:	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed: Yes No
County Permit: Yes No Permit ID: _____
Lease Name & Well #: _____
of boreholes: _____ # of dewatering wells: _____

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS

COMMENTS

--

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1837883
Well Owner	SEASIDE TRUST
Contractor	Downey Drilling, Inc. #748

Casing

From	To	Casing Diameter	Casing Joint	Casing Weigh	Wall Thickness or Gauge Number
0	313	16	Welded		.250
403	443	16	Welded		.250
622	623	16	Welded		.250

Form	WWC5.2 - Water Well Record
Doc ID	1837883
Well Owner	SEASIDE TRUST
Contractor	Downey Drilling, Inc. #748

Lithology

From	To	Lithology Intervals
0	4	topsoil,brown,loose
4	14	clay,silty,brown,soft
14	30	sand,fine,silty,brown,soft
30	46	sand,fine to coarse,yellowish,soft
46	57	clay,silty,brown,soft
57	68	sand,fine to medium,soft
68	135	clay,brown
135	170	clay,fine to medium,sandy,blue,soft
170	205	sand,fine to coarse,firm
205	220	sand & gravel,fine to medium,stiff
220	233	sand,fine to coarse,firm
233	236	clay,sandy,brown,soft
236	248	sand,fine to coarse,firm
248	255	clay,sandy,tan,soft
255	285	sand,fine,clayey,soft
285	290	clay,white,soft
290	347	sandstone,unknown,sandy,orange,hard
347	377	sandstone,unknown,sandy,brown,hard
377	390	sandstone,unknown,white,hard
390	416	shale,unknown,blue,hard

Form	WWC5.2 - Water Well Record
Doc ID	1837883
Well Owner	SEASIDE TRUST
Contractor	Downey Drilling, Inc. #748

Lithology

From	To	Lithology Intervals
416	447	shale,unknown,blue
447	470	shale,unknown,blue,soft
470	478	sandstone,unknown,sandy,gray,hard
478	495	shale,unknown,blue,soft
495	515	sandstone,unknown,sandy,gray,hard
515	579	sandstone,unknown,sandy,gray,hard
579	590	sandstone,unknown,white,soft
590	594	clay,green,hard
594	603	clay,red,firm
603	623	sandstone,unknown,tan,hard

Form	WWC5.2 - Water Well Record
Doc ID	1837883
Well Owner	SEASIDE TRUST
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	To	Slot Size	Slot Size Units	Gravel Pack Used	Gravel Pack From	Gravel Pack To	Gravel Size
313	403	.05	inches	Yes	20	623	#1
443	525	.25	inches	No			
525	622	.05	inches	No			