_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original I	Recor	d Co	rrection	Chang	e in We	l Use	
Latitude	Longitude			Section	Township	R	lange	E W	Fraction	1/4	1/4	1/4	
Datum	Elevation			County	<u> </u>								
WATER WELL OWNER		l	WELL	NATER US	 			NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION	
Name								Source:					
Business			COMP	LETION				Distance		Direction	n		
Dustriess					. 1 . 11			from well:		from we	ll:		
Address					ted well:		ft.	Source descriptio	n.				
			1 -	•	water encountered: (2) ft.;	•							
Well location					(2) it.; (4) dry well								
								from well:		Direction from we	n ll:		
at owner's address			Static water level in well: ft. measured below land surface					Source description:					
CONSTRUCTION				(mm/dd/y				No not	ential cour	ce of contami	nation		
CONSTRUCTION Parabala interval.	Borehole dia	um at c ==		easured abo (mm/dd/y	ve land surface				100 feet.				
Borehole interval:							=	PERMIT &	ID NUMBE	RS (AS REQU	IRED)		
fromtoft.		in.			gpm			DIATE 4	ali anti e - NT				
fromto ft.			Water		ft. after		•	1).: Code:			
Casing height above land sur		in.	D		pumping Yes No	gpm				Code:			
If casing height is less that has a variance been appropriately		s No	Pump	installed:	Yes No			Site Name: KDHE UIC Class V Form Completed: Yes No					
*variance not required fo			Water	well disinf	ected? Yes N	o				s No Perm			
or environmental remed			Date o	disinfected	(mm/dd/yy):		_	1		:			
Casing type:			A au : 6	er, if knowr						# of dewater			
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LOG		NITED\/A.I.C							
Casing joints:lbs			FROI	и то	LITHOLOGY	NIERVALS	'						
Wall thickness or gauge r													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:lbs													
Wall thickness or gauge r	10.:												
Grout interval:ft. to	ft												
Grout material:													
Grout interval: ft. to													
Grout material:			сомм	ENTS									
Screen / perforation material:													
Screen / perforation opening			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFIC	ATION						
Screen / perforation intervals			This	water well	was constructe	d reco	onstru	cted p	oursuant to	the stated w	ater well		
Fromft. to			contr	actor's lice	ense and was con	npleted on		·	I certify th	nat this recor	d is true	to	
Slot size unit _			the b	est of my l	knowledge and b	elief. This v	vater v	well record	was compl	eted on			
From ft. to			unde	r the busii	ness name of							,	
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	o	uı	nder the au	thority of th	e designa	ited	
Gravel pack intervals:	Cmar1 - '				ed in K.A.R. 28-3					•	_		
Gravel pack not used:		in	-		son at its submitt	•	٥				-		
From ft. to Gravel pack not used:					VATER WELL OW		ain one	e for vour rec	ords. Fee of	\$5.00 for each	constructe	d well	
From ft. to		in						EALTH AND					
710m n. to	11.			Bureau	of Water, Geology (7			Jackson St., S A. 82a-1212		peka KS 66612	2-1367		

Form	WWC5.2 - Water Well Record
Doc ID	1837854
Well Owner	MICHAEL AMERIN
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,black,soft
4	10	clay,silty,brown,soft
10	21	clay,tan,soft
21	38	clay,sandy,white,firm
38	45	sand,fine,soft
45	66	sand & gravel,fine to coarse,firm
66	79	clay,brown,soft
79	90	sand & gravel,fine to coarse,firm
90	96	clay,brown,soft
96	103	clay,sandy,brown,soft
103	109	clay,brown,soft
109	115	sand,fine to coarse,firm
115	120	clay,sandy,brown,soft
120	134	sand & gravel,fine to coarse,firm
134	159	sand & gravel,fine to medium,stiff
159	177	sand,fine to coarse,clayey,firm
177	183	clay,brown,soft
183	205	sand & gravel,fine to coarse,stiff
205	208	clay,brown,soft
208	216	sand,fine to coarse,firm
216	220	clay,brown,soft

Form	WWC5.2 - Water Well Record
Doc ID	1837854
Well Owner	MICHAEL AMERIN
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
220	230	sand,fine to coarse,firm
230	235	clay,brown,soft
235	268	sand & gravel,fine to coarse,stiff
268	305	sand & gravel, fine to medium, stiff
305	334	sand,fine to medium,clayey,brown,firm
334	374	sand,fine to coarse,white
374	421	sand,fine to coarse,white,stiff
421	431	clay,sandy,soft
431	460	clay,brown,soft
460	479	clay,fine to medium,sandy,brown,soft
479	486	clay,sandy,brown,soft
486	508	sand,fine to medium,firm
508	520	other,unknown,RED BED

Form	WWC5.2 - Water Well Record
Doc ID	1837854
Well Owner	MICHAEL AMERIN
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
270	310	.1	inches	Yes	20	520	#1
310	450	.08	inches	No			
450	510	.05	inches	No			