Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	I OF V	ATER WELI	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	WATER U	SE				NEAREST S	SOURCE OF	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business					COM	PLETION					Distance		Directi		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					ft.	from well: from well: Source description:						
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source: Distance Direction from well:						
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	l			measured above land surface						No potential source of contamination within 100 feet.				
Borehole	interv	al:	Borehole dia	meter:	on (mm/dd/yy):					_					
fromtoftinininin.			Estimated yield: gpm Water level was: ft. after hours pumping gpm						DWR Application No.: KDHE / EPA Project Code:						
Casing height above land surface:in. If casing height is less than 12 in. has a variance been approved?* Yes No					Pump installed? Yes No						Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring or environmental remediation wells					Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
Casing ty					Date disinfected (mm/dd/yy):						Lease Name & Well #: # of boreholes: # of dewatering wells:				
Blank casi	ing int	erval:	ft. to	ft.	Aquifer, if known:					# of boreh	ioles:	# of dewar	ering wells:	:	
Blank casi	ing dia	meter:	in.		LITHOLOGIC LOG										
Casin	g joint	s:			FRC	ом т) L	ITHOLOGY II	NTERVA	LS					
Weight:lbs/ft.															
Wall thickness or gauge no.:															
Blank casing interval:ft. toft.															
	-	meter:													
Weight:lbs/ft.															
Wall t	hickn	ess or gauge 1	no.:												
		ft. to													
Grout	mate	ial:													
Grout interval: ft. to ft. Grout material:				COMMENTS											
Screen / p	erfora	tion material:	:												
Screen / perforation openings:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
Screen / perforation intervals:				This water well was constructed reconstructed pursuant to the stated water well											
Fromft. toft.				con	contractor's license and was completed on I certify that this record is true to										
					the	the best of my knowledge and belief. This water well record was completed on									
F 6. 4.					ander the business name of,										
Slot size unit															
Gravel pack intervals:						Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack not used: Gravel size in					1	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
11011111.1011.						designated person at its submittal:									
Graver pack not asea. Graver size III					Send	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
From ft. to ft.						KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									




FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

PROJECT:

Casey's General Store #1199 303 E. 10th Street, Eudora, KS KDHE ID: U4-023-15513 Date: 10/18/24

0 100 feet

Approximate Location of Former UST Basin and Pump Island

- Building with Basement
 - Existing Monitoring Well
 - Proposed Monitoring Well
 - X Proposed Soil Boring

WTE: Utility depths, heights and locations are approximate.

NOTE: SB5 & SB6 will be drilled to collect hydrological samples.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 10, 2024

RE: Monitor Well Elevation Survey

303 E. 10th., Eudora

Proj. 24-00WW Casey's General Store #1199 U4-023-15513

Bench Mark: Chisled sq. on SW corner of concrete sign base near the NW corner of property.

Elev: 871.09 North 5114.97 West 655.67 (from SE Cor. Sec. 5-13-21E)

MW#1	rim	871.29	North	5100.84	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	870.92	West	632.09	Lat= 38.94177 Long = 95.09575
MW#2	rim	872.84	North	5086.92	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	872.59	West	577.00	Lat= 38.94173 Long = 95.09556
MW#3	rim	872.25	North	5055.57	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	871.97	West	626.24	Lat= 38.94165 Long = 95.09573
MW#4	rim	871.07	North	5010.41	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	870.79	West	649.75	Lat= 38.94152 Long = 95.09581
MW#5	rim	869.42	North	5248.63	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	869.10	West	662.55	Lat= 38.94218 Long = 95.09586
MW#6	rim	873.81	North	5210.27	NW1/4,NE1/4,NE1/4,NE1/4
	top pipe	873.41	West	561.96	Lat= 38.94207 Long = 95.09551

Lat & Long derived from Eudora 7.5' quad map. WGS84.

Elevation established from NGS BM W 368. NAVD 83.

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service Solvohia.