WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WAT	ER WELL							Origin	al Recor	d Coi	rection	Chang	e in We	ll Use
Latitude		Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum		Elevation			County		1		0	VV				
WATER WELL OWNE	ER.				WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMI	NATION
Name														
Business				COMP	LETION					Distance		Direction		
Dusilless					LETION					from well:		from wel	l:	
Address					Depth of completed well:ft.					Source				
				Depth(s) groundwater encountered:						descriptio				
TATAIL La pation					(1)ft.; (2)ft.;					Source: _				
Well location					(3) ft.; (4) dry well					Distance from well:		Direction from wel		
at owner's				Static water level in well: ft.						Source				
address				measured below land surface						description:				
CONSTRUCTION				on (mm/dd/yy): measured above land surface						No pot	ential sourc	e of contami	nation	
Borehole interval: Borehole diameter:			meter:	on (mm/dd/yy):						within 100 feet.				
from to ft. in.									PERMIT & ID NUMBERS (AS REQUIRED)					
fromto				Estimated yield:gpm						DWR Application No.:				
fromtoftin. Casing height above land surface:in.				Water level was:ft. afterhours pumping gpm						KDHE / EPA Project Code:				
			in.	Pumr	installed	? Ye		81		Site Name:				
If casing height has a variance b			s No	Pump installed? Yes No						KDHE UIC Class V Form Completed: Yes No				
*variance not re				Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environment	tal remedi	ation wells		Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Casing type: ft. to ft.				Aquifer, if known:						# of boreholes: # of dewatering wells:				
Blank casing diamet			1t.	_	LOGIC LO									
Casing joints:				FRO			ITHOLOGY II	NTERVA	NI S					
	lbs/i			110					123					
Wall thickness o														
Blank casing interva	0 0													
Blank casing diamet														
Casing joints:														
Weight:	lbs/:	ft.												
Wall thickness o	or gauge no	0.:	_											
Grout interval:	ft. to	ft.												
Grout material:														
Grout interval:														
Grout material:				COMN	IENTS									
Screen / perforation	material:													
Screen / perforation	openings	:		CONTI	RACTOR'	S OR L	ANDOWNERS	CERTIF	ICATION					
Screen / perforation	intervals:			This	water we	ll was	constructed	d 1	reconstru	cted p	ursuant to	the stated w	ater well	l
Fromft. to	Fromft. toft. contractor's license and was completed on I certify that this record is true							d is true	to					
Slot size				the b	est of my	know	vledge and be	elief. Th	is water v	vell record v	was comple	ted on		
From ft. to ft.				under the business name of,										
Slot size unit				Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
Gravel pack not used: Gravel sizein				designated person at its submittal:										
From ft.		_							rotain and	for your war	orde Eas of a	5 00 for and	construct	ed well
Gravel pack not used: Gravel size in From ft. to ft.				Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft.		RAINDAD DEFARIMENT OF HEALTH AND ENVIRONMENT												

Form	WWC5.2 - Water Well Record
Doc ID	1842511
Well Owner	City of Wichita
Contractor	Below Ground Surface, Inc.

Grout

From	То	Grout Material
0	2	Cement
2	11	Bentonite
11	13.5	Bentonite

Division of Environment Curtis State Office Building 1000 SW Jackson St., Suite 400 Topeka, KS 66612-1367



Fax: 785-559-4264 www.kdheks.gov

Janet Stanek, Secretary

Laura Kelly, Governor

Phone: 785-296-1535

October 25, 2024 VIA ELECTRONIC COMMUNICATIONS

Subject: Approval of Variance for Direct-Push Small Diameter Monitoring Wells. RSI Area of the Gilbert &

Mosley Site (KDHE Project Code C2-087-00175). Located Along E. Gilbert & E. Indianapolis, on S. Mosley Ave, Wichita, SG County, KS. SE, NE, NW & NE, SE, NW, Sec. 28, T. 27S, R. 1E.

Mike Ocsody, P.G., Ks WWC Lic. 710 Below Ground Surface, Inc. 8110 Cole Parkway Shawnee, KS 66227 midwestbgs@sbcglobal.net

Dear Mr. Ocsody,

On October 18, 2024, the Kansas Department of Health & Environment, Bureau of Water, Geology & Well Technology Unit, Water Well Program (KDHE), received your variance request (via email) to construct ten (10) flush-mount, small diameter monitoring wells using direct-push technology (DPT) at the above referenced site. The request is for shallow monitoring wells RSI-MW1S through RSI-MW5S, and for deep monitoring wells RSI-MW1D through RSI-MW5D, to be constructed with less than the required minimum annular space as per K.A.R. 28-30-6(b)(2).

KDHE considers the method of constructing and grouting the deep monitoring wells described in your email, to be adequate. However, KDHE requests that slightly less than two feet of filter pack be placed above the well screen in the shallow wells to increase the total interval of grout material below ground. This will be critical upon abandonment and plugging of these wells in the future.

This letter provides notice of approval to construct ten (10) small diameter monitoring wells at locations referenced and with the shallow wells completed as requested above. Please comply with KDHE regulations in K.A.R. 28-30-6(s) for flush-mount well completion.

Please contact me at 785-296-3565 (o), 785-224-5259 (c), or Pam.Chaffee@ks.gov if you have questions.

Sincerely,

Pamela Chaffee, P.G., Water Well Program

Pamela Choffee

Geology & Well Technology Unit/Bureau of Water/KDHE

Copy via email: Brooklyn Armijo, KDHE/BOW/GWTU Brooklyn.Armijo@ks.gov

Darren Brown, Mgr. Env. Assessment & Remediation, City of Wichita DLBrown@wichita.gov


Mike Boes, City of Wichita MBoes@wichita.gov

Copy to file: KDHE/BOW/GWTU, Sedgwick County File



RSI: Monitoring Wells 946BR Location Map





This information is not an official record, and cannot be used as such. The user should rely only upon official records available from the custodian of records in the appropriate City and/or County department. Some data provided here and used for the preparation of these maps has been obtained from public records not created or maintained by the City of Wichita.

1: 1,128

