Change in Well Use

WELL ID

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	I OF V	ATER WELI	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	LL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMI	NATION
Name											Source:				
Business				COM	PLETION					Distance		Directi			
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					ft.	Source description	: on:	from w	rell:			
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well						Distance	:	Directi	on rell:			
	at owner's address				Static water level in well:ft. measured below land surface on (mm/dd/yy):						Source description:				
CONSTRU	CTION	l			measured above land surface						No potential source of contamination within 100 feet.				
Borehole	interv	al:	Borehole dia	meter:	on (mm/dd/yy):										
fromtoftin				Estimated yield: gpm Water level was: ft. after hours pumping gpm						DWR Application No.: KDHE / EPA Project Code:					
If casing height is less than 12 in. has a variance been approved?* Yes No *variance not required for monitoring				s No	Pump installed? Yes No Water well disinfected? Yes No						Site Name: KDHE UIC Class V Form Completed: Yes No County Permit: Yes No Permit ID:				
		nental remed	U		Date disinfected (mm/dd/yy):						County Permit: 1es No Permit ID: Lease Name & Well #:				
Casing type:										# of boreholes: # of dewatering wells:					
			ft. to	ft.	Aqu	Aquifer, if known:					" or o orei		# Of ucwai	————	
		meter:				LITHOLOGIC LOG									
Casing joints:						FROM TO LITHOLOGY INTERVALS									
Weight:lbs/ft.															
Wall thickness or gauge no.:															
Blank casing interval:ft. toft.															
Blank casing diameter:in.															
Casing joints: Weight: lbs/ft.															
Wall thickness or gauge no.:															
Grout interval:ft. toft.															
		rial:													
Grout interval: ft. to ft. Grout material:						COMMENTS									
_			:												
Screen / perforation openings:					CONTRACTOR'S OR LANDOWNERS CERTIFICATION										
						This water well was constructed reconstructed pursuant to the stated water well									
						contractor's license and was completed on I certify that this record is true to									
F 6. 4.						e best of my knowledge and belief. This water well record was completed on									
Fromft. toft.						under the business name of,									
Slot size unit						Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack intervals:						erson as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
Gravel pack not used: Gravel sizein							•			•		5			
									ed well						
	VANCAC DEDARTMENT OF HEATTH AND ENVIDONMENT								ca well.						
Fromft. toft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367															



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1607 SW 41st Street Lawrence, Kansas, 66609 April 24, 2025

RE: Monitor Well Elevation Survey 2300 10th St., Great Bend, Kansas

Proj. 25-00M Ampride Convenience Store U6-005-14701

Bnch Mark: Chisled X on South end concrete diesel pump island East of the building.

Elev: 1849.03		South	25.96	West	3858.98	(from SE Cor. Sec. 28-19-13W)
MW-9	rim	1848	8.50	South	44 65	NW1/4,NW1/4,NE1/4,NW1/4 (Sec 33-19-13W)
	top pipe	1848	3.19	West	3644.18	Lat= 38.36175 Long = 98.76861
MW-10	rim	1849	9.26	South	100 81	NE1/4,NE1/4,NW1/4,NW1/4 (Sec 33-19-13W)
	top pipe	1848	3.96	West	3973.15	Lat= 38.36161 Long = 98.76976
MW-11	rim		8.49	South	136 41	NW1/4,NW1/4,NE1/4,NW1/4 (Sec 33-19-13W)
170	top pipe	1848	3.07	West	3925.61	Lat= 38.36151 Long = 98.76959

Elevation derived from existing project.

Lat & Long derived from Great Bend 7.5' Quad Map. WGS84

If you have ally duestions, please feel free to call me. Thank you for the opportunity to be

of service to vou.

SURVE