WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL	_					Original Reco	rd Correction	Change	in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County			**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	IATION
Name							Source:			
Business			COMPL	FTION			Distance from well:			
Dublicos							from well:	from well:	:	
Address					ed well:		Source			
			-	•	water encountered	•	description:			
Well location					(2) ft.; (4) dry well		Source:			
vven location					·		Distance from well:	Direction from well:	:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/y)	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamin	ation	
Borehole interval:	Borehole dia	meter:		(mm/dd/y			within 100 feet.			
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUIR	RED)	
fromto ft.				-	gpm ft. after	hours	DWR Application No.:			
Casing height above land sur			rater		pumping		KDHE / EPA Project Co			
			Pump	installed?	Yes No	8F	Site Name:			
If casing height is less than 12 in. has a variance been approved?* Yes No			-				KDHE UIC Class V For			No
*variance not required for monitoring			Water	well disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:	
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #: _			
Casing type:Blank casing interval:	ft to		Aquife	r, if known	:		# of boreholes:	# of dewateri	ng wells:	
Blank casing diameter:		11.		OGIC LOG						
Casing joints:			FROM		LITHOLOGY	INTERVALS				
Weight: lbs			rkow	1 10	Limotogi	INTERVALS				
Wall thickness or gauge r										
Blank casing interval:		I .								
Blank casing diameter:										
Casing joints:										
Weight: lbs										
Wall thickness or gauge r	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			сомм	ENTS						
Screen / perforation material:	:									
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation intervals	:		This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	
Fromft. to	_ft.		contra	actor's lice	ense and was con	npleted on	I certify that	this record	is true	to
Slot size unit _						=	well record was complete			
From ft. to	_ft.			-	=		wen record was complete			
Slot size unit _							under the auth			
Gravel pack intervals:										
Gravel pack not used:		in	-			,	d and certified by the ele	enomic sigi	.iature 0	ı me
From ft. to	ft.				on at its submitt					
Gravel pack not used:	Gravel size _	in	Send on	e copy to V			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.
From ft. to	ft.			Bureau			Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1849478		
Well Owner	Grant Webber		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	321	16	Welded	.250
401	521	16	Welded	.250
591	611	16	Welded	.250

Form	WWC5.2 - Water Well Record		
Doc ID	1849478		
Well Owner	Grant Webber		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	38	clay,sandy
38	58	sand,fine to coarse
58	78	sand,fine to coarse,gravelly
78	98	clay
98	118	sand & gravel,fine to coarse
118	275	sand & gravel,medium to coarse
275	297	sand,fine to coarse
297	302	clay,blue
302	316	sand,fine to coarse
316	321	clay,blue
321	381	sand,fine to coarse
381	421	caliche
421	431	shale,completely weathered,other,yellow
431	441	shale,slightly weathered,gray
441	518	shale,slightly weathered,black
518	523	sandstone,unweathered,very hard
523	561	sandstone,highly weathered,very soft
561	581	shale,slightly weathered,sandy
581	591	sandstone,highly weathered,very soft

Form	WWC5.2 - Water Well Record		
Doc ID	1849478		
Well Owner	Grant Webber		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
591	620	shale,slightly weathered,red