WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WELL						Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty	'		**			
WATER WELL OWNER			WELL W	ATER USE	:		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	IATION
Name							Source:			
Business			COMPLE	TION			Distance from well:		L	
Dubiness							from well:	from well	:	
Address					ed well:		Source			
			-	•	vater encountered	•	description:			
Well location					(2) ft.; (4) dry well		Source:			
Well location							Distance from well:	Direction from well	:	
at owner's					in well:	ft.	Source			
address			1	sured belo mm/dd/yy	w land surface		description:			
CONSTRUCTION							No potential source	of contamir	ation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				within 100 feet.			
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromtoft.					gpm ft. after	hours	DWR Application No.:_			
Casing height above land sur			, rater it		pumping		KDHE / EPA Project Co			
If casing height is less that		m.	Pump i	nstalled?	Yes No		Site Name:			
has a variance been appro		s No	Tamp mounted. 163 170				KDHE UIC Class V Form Completed: Yes No			
*variance not required fo			Water v	vell disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:	
or environmental remed	iation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #: _			
Casing type:Blank casing interval:	ft to	<del></del>	Aguifer	, if known	<u>:</u>		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:		11.		OGIC LOG						
Casing joints:			FROM		LITHOLOGY	INTERVALS				
Weight: lbs/			rkow	10	Ennotogn	INTERVALS				
Wall thickness or gauge n										
Blank casing interval:		I .								
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge r	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening	s:		CONTRA	CTOR'S	OR LANDOWNER	S CERTIFICATION	I			
Screen / perforation intervals:			This w	ater well	was constructe	d reconstru	icted pursuant to the	he stated w	ater well	
Fromft. to	ft.		contra	ctor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit _						=	well record was complete			
From ft. to	ft.			-	_		wen record was compress			
Slot size unit _							under the auth			
Gravel pack intervals:										
Gravel pack not used:		in	-			,	ed and certified by the ele	etronic sig	nature 0	ı me
From ft. to	_ ft.				on at its submitt					
Gravel pack not used:	Gravel size _	in	Send one	copy to W			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.
From ft. to	_ ft.			Bureau			Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1848619		
Well Owner	Josh Koehn		
Contractor	Hydro Resources Mid Continent, Inc. #145		

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	35	clay,silty
35	50	caliche
50	70	clay,sandy
70	77	caliche
77	85	clay,sandy
85	111	caliche
111	115	clay,sandy
115	126	sand,fine to coarse,gravelly
126	130	clay
130	159	sand,fine to coarse,gravelly
159	168	clay,sandy
168	184	sand & gravel,fine to coarse
184	196	clay,sandy
196	199	sand,fine,moderately cemented
199	271	sand,fine to coarse,gravelly
271	279	clay,sandy
279	285	sand,fine to coarse,gravelly
285	289	clay,sandy
289	305	sand,fine to coarse,gravelly
305	345	clay,sandy
345	407	sand,fine
407	416	gravel,medium,brown rock

Form	WWC5.2 - Water Well Record		
Doc ID	1848619		
Well Owner	Josh Koehn		
Contractor	Hydro Resources Mid Continent, Inc. #145		

## Lithology

From	То	Lithology Intervals
416	423	clay,yellowish,gray
423	451	sand,fine
451	456	clay,gray
456	459	gravel,medium,brown rock
459	465	clay,gray
465	475	gravel,medium,brown rock
475	500	shale,slightly weathered,black