_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	LL					Original F	Recor	d Coi	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ra	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County								
WATER WELL OWNER			WELL	NATER USI				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMPI	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	l:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				t.	Source descriptio	n.			
			-	-	(2) ft.;							
Well location					(4) dry well							
					·		_	from well:		Direction from we	ll:	
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y			-	No pot	ential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):			_	within 100 feet.					
fromto ft.				Estimated yield: gpm			$\overline{}$	PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	o.:		
			, vaici	ievei was				1		Code:		
Casing height above land s		m.	Pump		Yes No	8r						
If casing height is less than 12 in. has a variance been approved?* Yes No			Tump instance. 105 140			_	KDHE UIC Class V Form Completed: Yes No				No	
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:	ft to		Aquif	er, if known	:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:				LOGIC LOG								
Casing joints:			FRO		LITHOLOGY I	NTERVALS						
Weight:ll												
Wall thickness or gauge												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:ll	bs/ft.											
Wall thickness or gauge	e no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		50111									
Grout material:			COMM	ENIS								
Screen / perforation materia												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation interva					was constructed			_		the stated w		
Fromft. to					ense and was com	•			•			
Slot size unit				•	knowledge and be				•			
From ft. to Slot size unit					ness name of							
Gravel pack intervals:	·		Kans	as Water V	Vell Contractor's	License No		ur	nder the au	ithority of th	e designa	ated
Gravel pack not used:	Gravel size	in	perso	n as defin	ed in K.A.R. 28-3	30-2(j) and	signe	d and certifi	ied by the	electronic sią	gnature o	f the
From ft. to		111	desig	nated pers	son at its submitta	al:			·			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OW	NER and reta	ain one	for your reco	ords. Fee of	\$5.00 for each	constructe	ed well
Fromft. to				Bureau	of Water, Geology	Section, 100	0 SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, To		2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1848296		
Well Owner	SCI Farms LLC		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	6	topsoil,clayey,brown
6	40	sand,fine to medium,clayey,brown,brown clay streaks
40	60	sand,fine to coarse
60	80	sand,fine to medium
80	100	sand,fine to coarse
100	130	sand,fine to coarse,gravelly,w/ med size cobble
130	160	sand,fine to medium,clayey,brown,w/ brown clay layers and streaks
160	200	sand,fine to coarse,w/ cemented sand streaks and layers
200	260	sand,fine,gravelly,thin gravel streaks
260	340	sand,fine to coarse
340	380	sand,fine to medium,thin tan clay streaks
380	400	sand,fine to medium,w thin blue clay streaks
400	420	sand,fine to medium
420	440	sand,fine to medium,w/ tan clay and sandstone
440	460	sand,fine to coarse,w/brown / tan clay streaks

Form	WWC5.2 - Water Well Record		
Doc ID	1848296		
Well Owner	SCI Farms LLC		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
460	480	sand,fine to coarse,w/ small gravel streaks, tan clay and sandstone
480	500	sand,fine,clayey,w / yan, yellow,brown,gray, blue clay streaks and layers
500	520	sand,fine,clayey,w/ gray, blue, tan clay
520	560	clay,sandy,blue, gray clay with tan fine sand