WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WEL	L					Orio	ginal Recor	d Correction	Chang	e in Wel	l Use
Latitude	Longitude		Sec	ction	Townsh	ip	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	unty				VV			
WATER WELL OWNER		V	VELL WA	-				NEAREST SOURCE OF PO	OTENTIAL C	ONTAMIN	IATION
Name								Source:			
Business			OMPLET	TION							
Dusiness								from well:	from wel	l:	
Address			-	-	ted well: water encounte		ft.	Source description:			
			(1)	ft.;	(2) ft.;			Source:			
Well location		-			(4) dry well			Distance from well:		n l:	
at owner's address			Static water level in well: ft.  measured below land surface on (mm/dd/yy):				Source description:				
CONSTRUCTION			measi	ured abo	ve land surface			No potential source within 100 feet.	of contami	nation	
Borehole interval:	Borehole dia		on (m	nm/dd/y	у):			PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.				_	gpm						
fromto ft.		in.	Water level was: ft. afterhours				DWR Application No.:				
Casing height above land sur	rface:		pumping gpm			_ gpm	KDHE / EPA Project Code:				
If casing height is less the has a variance been appr		s No	Pump ins	stalled?	Yes No			Site Name:  KDHE UIC Class V Form Completed: Yes No			
*variance not required fo			Water we	ell disinfe	ected? Yes	No		County Permit: Yes No Permit ID:			
or environmental remed	liation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:	G .		Aquifer, i	if known				# of boreholes:			
Blank casing interval:		—"   L									
Blank casing diameter: Casing joints:		-	ITHOLOG FROM	TO	LITHOLOG	VINTER	DVALC				
Weight:lbs			FROIN	10	LITHOLOG	II IIVIE	TVALS				
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge	no.:	_									
Grout interval: ft. to	ft.										
Grout material:			_								
Grout interval:ft. to											
Grout material:		(	OMMEN	ITS							
Screen / perforation material											
Screen / perforation opening			ONTRAC	CTOR'S	OR LANDOWN	ERS CER	RTIFICATION				
Screen / perforation intervals					was constru		reconstru	cted pursuant to t	he stated w	ater well	
Fromft. to								I certify that			
Slot size unit _						_		•			
From ft. to	_ft.		the best of my knowledge and belief. This water well record was completed on under the business name of,								
Slot size unit _											
Gravel pack intervals:								under the auth	•	_	
Gravel pack not used: Gravel sizein				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the							
From ft. to	ft.				son at its subn						
Gravel pack not used:	Gravel size _	in   S	end one o	copy to V				for your records. Fee of \$5 EALTH AND ENVIRONMI		constructe	ed well.

Form	WWC5.2 - Water Well Record
Doc ID	1848246
Well Owner	Hay, Rice, & Associates
Contractor	Hydro Resources Mid Continent, Inc. #145

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	306	16	Welded	.250
376	394	16	Welded	.250
494	514	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1848246
Well Owner	Hay, Rice, & Associates
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	25	caliche
25	45	clay
45	54	clay,sandy
54	63	sand,fine to coarse
63	66	caliche
66	170	sand & gravel,fine to coarse
170	345	sand,fine to coarse,gravelly
345	376	sand,fine to coarse
376	392	clay,sandy
392	418	sand,fine,moderately cemented
418	494	sandstone,slightly weathered
494	540	shale,slightly weathered,red