WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

Longitude Datum Devention County Range No. Fraction St.	OCATION OF WATER WE	LL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
MATER WELL OWNER	Latitude				Section	Township	Range	E	Fraction	1/4	1/4	1/4
WELL WATER USE						1	8	J VV				
Source Distance		Lievation			,	-		NEADECT	SOURCE OF	DOTENTIAL C	ONITA MAIN	LATION
Completion Com				WELL	WATER USI	-						IATION
Address Source From well												
Address Well location at owner's address Well location State vower's address Source (5	Business			COMPI	LETION			from well	l:	from wel		
Depth(s) groundwater encountered:	Address			Depth	of complet	ted well:	ft.	Source				
South Section Source Sou	Address			Depth	n(s) ground	water encountered			on:			
Satic water level in well:				(1)	ft.;	(2) ft.;		Source:				
Source descriptions: Source descriptions Source descriptions	Well location			(3)	ft.;	(4) dry well					n	
measured below land surface on (mm/dd/yy): measured above land surface on (mm/dd/yy): Estimated yield: gpm Water level was: fl. after hours pumping gpm Pump installed? Yes No No *variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval: fl. to fl. Gasing joints: Weight: Jbs/fl. Wall thickness or gauge no: Blank casing interval: fl. to fl. Grout material: Grout interval: fl. to fl. Grout material: Grout material: Grout material: Screen / perforation material: Grout material: Grout material: From fl. to fl. Solt size unit From fl. to fl. Solt size unit Gravel pack intervals: Gravel pack				Static	water level	in well:	t.		i:	from wel	l:	
measured above land surface on (mm/dd/yy): measured above land				me	easured belo	ow land surface			on:			
Borehole interval: from	CONSTRUCTION									ce of contami	nation	
Fromtoftin	Borehole interval:	Borehole dia	meter:					withir	1 100 feet.			
from to ft. in. Casing height above land surface: in. If casing height is less than 12 in. In. Statistic plane in the stated water well surface in the stated water well contractor's license and was completed on under the business name of fixed pack intervals: In. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Blank casing interval: In. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In. Casing joints: Ibs/ft. Wall thickness or gauge no: Grout interval: In.								PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
Casing height above land surface:							houre	DWR An	plication No	u:		
If casing height is less than 12 in. has a variance been approved? Yes No 'variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval: Blank casing diameter: in. Casing joints: Weight: Blank casing diameter: in. Casing joints: Weight: Blank casing diameter: in. Casing joints: Weight: Blank casing diameter: in. Casing joints: Weight: Blank casing diameter: In. Casing joints: Weight: Blank casing diameter: In. Casing joints: Weight: Blank casing diameter: In. Casi				vvalei			I	1 -	-			
Mas a variance been approved?* Yes No "variance not required for monitoring or environmental remediation wells Casing type: Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing interval: ft. to			ın.	Piimp			5P ¹¹¹	1				
Variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval:			s No	Tump	mistanea.	165 110						No
Or environmental remediation wells Casing type: Aquifer, if known:				Water	well disinfe	ected? Yes N	o			•		
Casing type: Blank casing interval: ft. to ft. Blank casing interval: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing interval: ft. to ft. Blank casing idiameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Crout interval: ft. to ft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation openings: Screen / perforation intervals From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack intervals: Gravel pack				Date o	disinfected ((mm/dd/yy):		1				
Blank casing diameter:in. Casing joints:	Casing type:											
Casing joints: Weight:lbs/ft. Wall thickness or gauge no: Blank casing interval: in. Casing joints: Weight: in. Casing joints:			ft.	Aquif	er, if known	l :				" of deviates		
Weight:lbs/ft. Wall thickness or gauge no:	Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Wall thickness or gauge no: Blank casing interval: Blank casing diameter: in. Casing joints: Weight: Wall thickness or gauge no: Grout interval: fit toft. Grout material: Grout material: Grout material: Screen / perforation material: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel pack intervals: Gravel pack not used: Gravel pack not material: COMMENTS COMMENTS COMMENTS COMMENTS CONTRACTOR'S OR LANDOWNERS CERTIFICATION				FRO	и то	LITHOLOGY	NTERVALS					
Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no.: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	-											
Blank casing diameter:in. Casing joints:Weight:lbs/ft. Wall thickness or gauge no.: Grout interval:ft. toft. Grout material:	0 0											
Casing joints: Weight:lbs/ft. Wall thickness or gauge no.: Grout interval:ft. toft. Grout material: Grout material: Screen / perforation material: Screen / perforation intervals: Fromft. toft. Slot size unit Fromft. toft. Slot size unit Gravel pack intervals: Gravel pack not used: unit Gravel pack not used: ft. toft. Gravel pack not used: Gravel size in ft. to ft. to ft. to ft. to ft. to ft. Gravel pack not used: ft. to			ft.									
Weight:lbs/ft. Wall thickness or gauge no.: Grout interval: ft. to ft. Grout material:												
Wall thickness or gauge no.: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack intervals: Gravel pack not used:	· -											
Grout interval:												
Grout material: Grout interval:ft. toft. Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot size unit Fromft. toft. Slot size unit Gravel pack intervals: Gravel pack not used: Gravel size in Fromft. toft. Gravel pack not used: Gravel size in Fromft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From	Wall thickness or gauge	e no.:										
Grout interval:ft. toft. Grout material:	Grout interval: ft.	toft.										
Grout interval:ft. toft. Grout material:	Grout material:											
Screen / perforation material: Screen / perforation openings: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot size unit Fromft. toft. Slot size unit Gravel pack intervals: Gravel pack not used: Gravel size in Fromft. toft. Gravel pack not used: Gravel size in Fromft. toft. Gravel pack not used: Gravel size in Fromft. toft. Gravel pack not used: Gravel size in Fromft. toft. Gravel pack not used: Gravel size in KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout interval: ft.	toft.										
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout material:			COMM	ENTS							
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT												
Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein	Screen / perforation materia	al:										
Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Kansas Water Well Contractor's License Nounder the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Screen / perforation openin	ngs:		CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Slot size unit the best of my knowledge and belief. This water well record was completed on under the business name of under the authority of the designated pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Screen / perforation interva	ıls:		This	water well	was constructe	d reconstr	ucted	pursuant to	the stated w	ater well	
Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT the best of my knowledge and belief. This water well record was completed on under the business name of under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Fromft. to	ft.		contr	actor's lice	ense and was con	npleted on		. I certify th	at this recor	d is true	to
Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein	Slot size unit	i							•			
Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Kansas Water Well Contractor's License Nounder the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.	From ft. to	ft.			•				•			
Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in Gravel size in From ft. to ft. Gravel pack not used: Gravel size in KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Slot size unit	i										
Gravel pack not used: Gravel sizein designated person at its submittal: Gravel pack not used: Gravel sizein designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Gravel pack intervals:									· ·	_	
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Gravel pack not used:	Gravel size	in	-				ed and certi	ned by the e	electronic sig	şnature o	t the
Erom ft to ft KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	From ft. to	ft.		desig	nated pers	son at its submitt	al:		·			
From ft to ft KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Gravel pack not used:	Gravel size	in	Send or	ne copy to V			•			constructe	ed well.
	From ft. to	ft.			D,,,,,,,,,) 1247	

Form	WWC5.2 - Water Well Record
Doc ID	1847869
Well Owner	Robert Casey Dickinson
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	20	5	Glued	SDR-21
40	60	5	Glued	SDR-21
70	80	5	Glued	SDR-21

Form	WWC5.2 - Water Well Record
Doc ID	1847869
Well Owner	Robert Casey Dickinson
Contractor	Rosencrantz-Bemis Ent., Inc.

Grout

From	То	Grout Material
0	20	Bentonite
50	55	Bentonite
75	80	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1847869
Well Owner	Robert Casey Dickinson
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	13	clay,brown
13	40	clay,soft,Gritty with sand and gravel broken rock mix
40	50	shale,slightly weathered,gray
50	55	shale,slightly weathered,white
55	59	shale,slightly weathered,clayey,red
59	70	sandstone,slightly weathered,tan
70	85	shale,slightly weathered,clayey,red
85	95	sandstone,slightly weathered,tan,with fire clay mix
95	103	shale,slightly weathered,clayey,red

Form	WWC5.2 - Water Well Record
Doc ID	1847869
Well Owner	Robert Casey Dickinson
Contractor	Rosencrantz-Bemis Ent., Inc.

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
20	40		Yes	20	50	
60	70		Yes	55	76	
80	100		Yes	80	100	