WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL						Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty	'		**			
WATER WELL OWNER			WELL W	ATER USE	:		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	IATION
Name							Source:			
Business			COMPLE	TION			Distance from well:		L	
Dubiness							from well:	from well	:	
Address					ed well:		Source			
			-	•	vater encountered	•	description:			
Well location					(2) ft.; (4) dry well		Source:			
Well location							Distance from well:	Direction from well	:	
at owner's					in well:	ft.	Source			
address			1	sured belo mm/dd/yy	w land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:		mm/dd/yy			within 100 feet.			
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromtoft.					gpm ft. after	hours	DWR Application No.:_			
Casing height above land sur			, rater it		pumping		KDHE / EPA Project Co			
If casing height is less that		m.	Pump i	nstalled?	Yes No		Site Name:			
has a variance been appro		s No					KDHE UIC Class V For			No
*variance not required fo			Water v	vell disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:	
or environmental remed	iation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:			
Casing type:Blank casing interval:	ft to		Aguifer	, if known	<u>:</u>		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:		11.		OGIC LOG						
Casing joints:			FROM		LITHOLOGY	INTERVALS				
Weight: lbs/			rkow	10	Ennotogn	INTERVALS				
Wall thickness or gauge n										
Blank casing interval:		I .								
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge r	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening	s:		CONTRA	CTOR'S	OR LANDOWNER	S CERTIFICATION	I			I
Screen / perforation intervals:			This w	ater well	was constructe	d reconstru	icted pursuant to the	he stated w	ater well	
Fromft. to	ft.		contra	ctor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit _						=	well record was complete			
From ft. to	ft.			-	_		wen record was compress			
Slot size unit _							under the auth			
Gravel pack intervals:										
Gravel pack not used:		in	-			,	ed and certified by the ele	etronic sig	nature 0	ı me
From ft. to	_ ft.				on at its submitt					
Gravel pack not used:	Gravel size _	in	Send one	copy to W			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.
From ft. to	_ ft.			Bureau			Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1847429		
Well Owner	GARRETT & MEGAN SPEER		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	4	topsoil
4	20	sand,fine to coarse,clayey,tannish
20	40	sand,fine to medium
40	60	sand,fine,clayey,brown
60	80	sand,fine to coarse
80	120	sand,fine to coarse,gravelly,SMALL COBBLE STREAKS
120	143	sand,fine to coarse,clayey,TAN BROW REDDISH STREAKS
143	148	caliche,clayey,whiteish,brown
148	152	sand,fine to medium,clayey,tan,THIN STREAKS OF TAN CLAY
152	220	sand,fine to coarse,gravelly
220	250	sand,fine to coarse,gravelly,SMALL COBBLE STREAKS
250	270	sand,fine to medium,clayey,tan,STREAKS & LAYERS
270	280	sand,fine to coarse,gravelly
280	310	sand,fine to coarse,gravelly
310	320	sand,fine to medium,clayey,tan,STREAKS AND LAYERS

Form	WWC5.2 - Water Well Record	
Doc ID	1847429	
Well Owner	GARRETT & MEGAN SPEER	
Contractor	Hydro Resources Mid Continent, Inc. #145	

Lithology

From	То	Lithology Intervals
320	330	sand,fine to coarse,gravelly,GRAVELY STREAKS
330	340	sand,fine to medium,clayey,tan,STEAKS AND LAYERS
340	360	sand,fine to medium,clayey,tannish,tan,T AN CLAY STREAKS
360	420	sand,fine to medium,clayey
420	460	sand,fine to coarse,clayey,tan
460	476	sand,fine,TAN, YELLOWISH CLAY STREAKS
476	480	clay,sandy,BROWN, BLUE,TAN, GRAY CLAY
480	500	sand,fine,clayey,GRAY BLUE TAN BROWN CLAY
500	520	sandstone,slightly weathered,tan,GRAY CLAY STREAKS
520	540	sandstone,slightly weathered,tan,THIN STREAKS GRAY CLAY
540	580	clay,reddish,gray,WITH GRAY SANDSTONE