WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	_					Original R	ecor	d Cor	rection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Ra	inge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	1		0	VV				
VATER WELL OWNER	Lievation			ATER US	 E	-		NEADEST S	OLIDCE OF I	POTENTIAL C	ONTAMIN	ΑΤΙΩΙ
			WELL W	AI EN OS								AIIOI
Name								Distance		Direction		
Business			COMPL	ETION			_	from well:		from wel	l:	
Address			Depth of completed well:ft.				Source					
riddiess			Depth(s) ground	water encountered	:		description	n:			
			(1)	ft.;	(2) ft.;			Source:				
Well location			(3) ft.; (4) dry well				D		D' ('	1		
, ,			Static water level in well: ft.					from well: from well:				
at owner's address			measured below land surface on (mm/dd/yy):					Source description:				
CONSTRUCTION			mea	asured abo	ove land surface				ential source 100 feet.	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/y	<u></u>		_	PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
fromto ft.		in.	Estima	ted yield:	gpm					,	,	
fromto ft.		in.	Water l	evel was:	ft. after	hours		DWR App	olication No.	:		
Casing height above land sur	face:	in.	pumpinggpm				KDHE / EPA Project Code:					
If casing height is less tha			Pump i	installed?	Yes No			Site Name:				
has a variance been appro		s No	747.4	11 1: : (. 12 37 37					orm Complet		
*variance not required fo or environmental remed			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
Casing type:	nation wens		Date disinfected (mm/dd/yy):				Lease Name & Well #: # of dewatering wells:					
Blank casing interval:	ft. to	ft.	Aquife	r, if knowi	n:			# of boreh	oles:	# of dewater	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOC	i							
Casing joints:			FROM	то	LITHOLOGY	NTERVALS						
Weight: lbs	/ft.											
Wall thickness or gauge r												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:												
Casing joints:												
Weight:lbs	/ft.											
Wall thickness or gauge r	10.:											
Grout interval: ft. to	ft											
Grout material:												
Grout interval: ft. to												
Grout material:	1t.		COMME	NTS								
Grout material.												
Screen / perforation material:												
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICA	TION					
Screen / perforation intervals:					was constructe		nstru		uireiiant to	the stated w	ater well	
Fromft. to								•				
Slot size unit _					ense and was con	-			•			.0
From ft. to				•	knowledge and b				-			
Slot size unit _					ness name of							,
Gravel pack intervals:			Kansa	s Water V	Well Contractor's	License No.		ur	nder the au	thority of th	e designa	ited
Gravel pack not used:	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
From ft. to			design	ated per	son at its submitt	al:						
		in	Send on	e copy to V	WATER WELL OW	NER and reta	in one	for your reco	ords. Fee of S	55.00 for each	constructe	d wel
Graver pack not used.	III	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1847082
Well Owner	GENE WRIGHT
Contractor	Hydro Resources Mid Continent, Inc. #145

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	364	16	Welded	.250
504	540	16	Welded	.250
580	600	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1847082
Well Owner	GENE WRIGHT
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	38	clay,sandy,brown,Little Calich Mixed
38	68	sand,fine,clayey
68	96	sand,fine to medium,gravelly
96	107	clay,sandy,brown
107	201	sand,fine to medium,gravelly
201	238	sand,fine to medium,gravelly
238	246	clay,other,Blue and Gray
246	344	sand,fine to coarse,gravelly
344	354	sand,fine to medium,gravelly
354	357	clay,gray
357	381	sand,fine to coarse
381	425	sand,fine to coarse,gravelly
425	441	sand,fine to medium
441	455	sand,fine,clayey
455	476	sand,fine
476	503	sandstone,slightly weathered,red,with Brown Rock
503	529	sandstone,slightly weathered,few shale strips
529	540	shale,slightly weathered,blue
540	584	sandstone,slightly weathered
584	600	shale,slightly weathered,red

Form	WWC5.2 - Water Well Record
Doc ID	1847082
Well Owner	GENE WRIGHT
Contractor	Hydro Resources Mid Continent, Inc. #145

Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used			Gravel Size
364	404	.1	inches	Yes	20	450	.25
404	444	.08	inches	Yes	450	600	.125
444	504	.05	inches	No			
540	580	.05	inches	No			