WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WEL	L					Orio	ginal Recor	d Correction	Chang	e in Wel	l Use	
Latitude	Longitude		Sec	ction	Townsh	ip	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation		Co	unty				VV				
WATER WELL OWNER		V	VELL WA	-				NEAREST SOURCE OF PO	OTENTIAL C	ONTAMIN	IATION	
Name								Source:				
Business			OMPLET	TION								
Dusiness								from well:	from wel	l:		
Address			-	-	ted well: water encounte		ft.	Source description:				
			(1)	ft.;	(2) ft.;			Source:				
Well location		-	(3) ft.; (4) dry well					Distance from well:		n l:		
at owner's address			Static water level in well: ft.  measured below land surface on (mm/dd/yy):					Source description:				
CONSTRUCTION			measi	ured abo	ve land surface			No potential source within 100 feet.	of contami	nation		
Borehole interval:	Borehole dia		on (m	nm/dd/y	у):			PERMIT & ID NUMBERS	(AS REQUI	RED)		
fromto ft.				_	gpm							
fromto ft.		in.	Water lev	vel was: _	ft. after			DWR Application No.:				
Casing height above land sur	rface:		pumpinggpm				_ gpm	KDHE / EPA Project Code:				
If casing height is less the has a variance been appr		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not required fo			Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental remed	liation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:	G .		Aquifer, if known:					# of boreholes:				
Blank casing interval:		—"   L										
Blank casing diameter: Casing joints:		-	ITHOLOG FROM	TO	LITHOLOG	VINTER	DVALC					
Weight:lbs			FROIN	10	LITHOLOG	II IIVIE	TVALS					
Wall thickness or gauge												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:lbs	s/ft.											
Wall thickness or gauge	no.:	_										
Grout interval: ft. to	ft.											
Grout material:			_									
Grout interval:ft. to												
Grout material:		(	OMMEN	ITS								
Screen / perforation material												
Screen / perforation opening			ONTRAC	CTOR'S	OR LANDOWN	ERS CER	RTIFICATION					
Screen / perforation intervals					was constru		reconstru	cted pursuant to t	he stated w	ater well		
Fromft. to								I certify that				
Slot size unit _						_		•				
Fromft. toft. toft. under the business name of							_					
Slot size unit _		under the business name of										
Gravel pack intervals:		Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack not used:	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
From ft. to	ft.				son at its subn							
Gravel pack not used:	Gravel size _	in   S	end one o	copy to V				for your records. Fee of \$5 EALTH AND ENVIRONMI		constructe	ed well.	

Form	WWC5.2 - Water Well Record
Doc ID	1846793
Well Owner	Jacobs Family Investments
Contractor	Hydro Resources Mid Continent, Inc. #145

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	336	16	Welded	.250
506	550	16	Welded	.250
600	610	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1846793
Well Owner	Jacobs Family Investments
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	70	clay,sandy,brown
70	79	sand,fine to coarse,gravelly
79	101	clay,caliche stringers
101	274	sand,fine to coarse,gravelly
274	296	clay,blueish,gray
296	314	sand,fine to coarse
314	329	clay,gray
329	420	sand,fine to coarse
420	468	sand,fine to medium,clayey
468	485	sand,fine,caliche stringers
485	491	shale,completely weathered
491	506	sandstone,slightly weathered
506	553	shale,slightly weathered,blueish
553	600	sandstone,slightly weathered
600	620	shale,slightly weathered,red

Form	WWC5.2 - Water Well Record
Doc ID	1846793
Well Owner	Jacobs Family Investments
Contractor	Hydro Resources Mid Continent, Inc. #145

## Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
336	426	.08	inches	Yes	20	430	.25
426	506	.05	inches	Yes	430	550	.125
550	600	.05	inches	Yes	550	610	.125