KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WE	LL				C	Original Recor	d Correction	Change	e in Wel	l Use
Latitude	Longitude		Section	To	ownship	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County							
WATER WELL OWNER		WE	L WATER U	SE			NEAREST SOURCE OF PO	TENTIAL CO	ONTAMIN	IATION
Name							Source:			
Business		COI	<b>APLETION</b>				Distance from well:		<u>l</u>	
			pth of comp	latad ruall.		ft.	from well:	from well	:	
Address			pth(s) grour			1t.	Source description:			
			-							
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well			Source:	Direction			
							from well:	from well		
at owner's		Sta	Static water level in well: ft.  measured below land surface				Source			
address			on (mm/dd		rrace		description:			
CONSTRUCTION			measured a	bove land su	rface		No potential source of within 100 feet.	of contamir	nation	
Borehole interval:	Borehole dia		on (mm/dd	/уу):			PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.		in. Est	imated yield	l: g]	pm			(7.07.12.40.1	,	
fromto ft.	_	in. Wa	iter level was				DWR Application No.:			
Casing height above land s	urface:				nping	gpm	KDHE / EPA Project Code:			
If casing height is less t			mp installed	? Yes	No		Site Name:			
has a variance been ap	_	No W	Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes No			
*variance not required or environmental rem	0		Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID:  Lease Name & Well #:			
Casing type:				a (mm aa y	,,					
Blank casing interval:	ft. to	ft. Aq	uifer, if knov	vn:			# of boreholes: #	of dewater	ing wells:	
Blank casing diameter:	in.	LITH	IOLOGIC LO	OG						
Casing joints:		FF	ROM TO	LITHO	DLOGY IN	TERVALS				
Weight:l										
Wall thickness or gauge										
Blank casing interval:		ft.								
Blank casing diameter:										
Casing joints:										
Weight:I										
Wall thickness or gaug	e no.:									
Grout interval: ft.	toft.									
Grout material:										
	toft.	cor	MENTS							
Grout material:										
Screen / perforation materi			ITD 4 6-0-		011111111					
Screen / perforation openi						CERTIFICATION				
Screen / perforation interva			is water we				1			
Fromft. to					-		I certify that			
Slot size unit			-	_			vell record was complete			
Slot size unit										
Gravel pack intervals:		Ka	nsas Water	Well Cont	ractor's L	icense No	under the auth	ority of the	e designa	ated
Gravel pack not used:	Gravel size	in   pe	rson as def	ined in K.A	.R. 28-30	-2(j) and signed	d and certified by the ele	ctronic sig	nature o	f the
From ft. to	ft.		signated pe	erson at its	submittal					
Gravel pack not used:	Gravel size	in Sen	d one copy to	WATER W	ELL OWN	ER and retain one	for your records. Fee of \$5.0	00 for each o	constructe	ed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1851405			
Well Owner	Kent Dunn			
Contractor	Hydro Resources Mid Continent, Inc. #145			

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	376	16	Welded	.250
406	477	16	Welded	.250
607	617	16	Welded	.250

Form	WWC5.2 - Water Well Record		
Doc ID	1851405		
Well Owner	Kent Dunn		
Contractor	Hydro Resources Mid Continent, Inc. #145		

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	38	clay,sandy
38	57	sand,fine to medium
57	66	clay,caliche stringers
66	86	sand,fine,clayey
86	109	clay
109	295	sand & gravel,fine to coarse
295	360	sand,fine to coarse,gravelly
360	381	sand,fine to coarse
381	389	sand,fine to medium
389	406	sand,fine to coarse,gravelly
406	425	clay,brownish,blue
425	444	caliche
444	479	clay
479	486	sand,fine,silty
486	525	sandstone,moderately weathered
525	540	shale,highly weathered
540	567	sandstone,slightly weathered
567	576	shale,completely weathered
576	578	limestone,slightly weathered
578	607	sandstone,slightly weathered
607	615	shale,highly weathered
615	630	shale,slightly weathered,red