_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL					(Original F	Recor	d Coi	rection	Change	e in Wel	l Use
	Longitude		Sect	tion	Township	R	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Cou	inty	_		- 1	**				
WATER WELL OWNER			WELL WAT	ER USE				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	ATION
Name								Source:				
Business			COMPLETI	ION				Distance		Direction	1	
Dusiness								from well:		from wel	l:	
Address					d well:	f	ft.	Source				
				-	ater encountered:			descriptio				
Well location					2) ft.;							
wen location					dry well			Distance from well:		Direction from wel	ı l:	
at owner's			Static water level in well: ft.					Source				
address			measured below land surface on (mm/dd/yy):					description:				
CONSTRUCTION					e land surface					ce of contami	nation	
Borehole interval: B	orehole dia	meter:		m/dd/yy)				within	100 feet.			
from to ft.		in.	Fetimated	vield:	gpm			PERMIT &	ID NUMBEI	RS (AS REQUI	RED)	
					gpm ft. after	houre		DWR Apr	olication No	·:		
			ratel icve					1				
Casing height above land surface		in.	pumping gpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
If casing height is less than has a variance been approv		s No			100 110			KDHE UIC Class V Form Completed: Yes No				No
*variance not required for monitoring			Water wel	l disinfec	cted? Yes No			County Pe	ermit: Yes	No Permi	t ID:	
or environmental remediation wells			Date disin	ifected (n	mm/dd/yy):		_	Lease Nan	ne & Well #:	:		
Casing type:	6.4		Aquifer, if	known:				I		# of dewater		
Blank casing diameters		'										
Blank casing diameter: Casing joints:			FROM	TO	LITHOLOGY IN	ITEDVALC						
Weight:lbs/ft			FROIN	10	LITHOLOGY IN	VIERVALS						
Wall thickness or gauge no.												
Blank casing interval:												
Blank casing diameter:					-							
Casing joints:												
Weight: lbs/ft												
Wall thickness or gauge no.												
Constintend 6.4												
Grout interval: ft. to					1							
Grout material: Grout interval: ft. to												
Grout material:			COMMENT	rs								
Glout material.												
Screen / perforation material:												
Screen / perforation openings:			CONTRAC	TOR'S O	R LANDOWNERS	CERTIFICA	ATION					
Screen / perforation intervals:					vas constructed				uirsuant to	the stated w	ater well	
Fromft. toft.					ise and was com			•				
Slot size unit						-			•			
From ft. to ft.				•	nowledge and be				-			
Slot size unit					ess name of							
Gravel pack intervals:					ell Contractor's I					•	-	
Gravel pack not used: G	ravel size	in	person a	s define	d in K.A.R. 28-30	0-2(j) and	signe	d and certifi	ied by the	electronic sig	nature o	f the
From ft. to:			designate	ed perso	on at its submitta	1:			<u> </u>			
Gravel pack not used: G		in 3	Send one co	opy to W	ATER WELL OWN			•			constructe	d well
From ft. to				Bureau o	KANSAS DE of Water, Geology S (78	Section, 100	0 SW J		uite 420, To		-1367	

Form	WWC5.2 - Water Well Record			
Doc ID	1851375			
Well Owner	John & Cynthia Lightner			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	300	16	Welded	.250
380	395	16	Welded	.250
505	510	16	Welded	.250

Form	WWC5.2 - Water Well Record			
Doc ID	1851375			
Well Owner	John & Cynthia Lightner			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	36	clay,sandy
36	135	sand & gravel,fine to coarse,gravelly
135	142	clay,brown
142	247	clay,blue
247	264	sand,fine,clayey,blue
264	323	sand,fine to coarse
323	330	sand,fine to medium
330	346	sand,fine to coarse
346	372	sand,fine to medium
372	380	sand,fine to coarse,gravelly
380	400	clay,sandy
400	410	sand,fine to medium
410	421	clay
421	449	sand,fine,clayey
449	462	sand,fine to medium
462	505	shale,completely weathered,sandy
505	514	shale,slightly weathered,gray
514	520	limestone,slightly weathered,hard