WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WEL	L					Original Re	cord	Correction	Chang	e in Wel	II Use
Latitude	Longitude		Sec	tion	Township	Ran	ge	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Cor	inty				VV			
WATER WELL OWNER		V	VELL WA	,			NEA	REST SOURCE OF P	OTENTIAL C	ONTAMIN	NATION
Name								ırce:			
Business			OMPLET	ION			_				
Dusiness					1 11	С.	froi	tance m well:	_ from wel	l:	
Address			-	-	ed well: vater encountered			irce cription:			
			(1)	_ ft.; (2) ft.;		Sou	ırce:			
Well location					4) dry well			tance m well:		n l:	
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):			Sou	rce cription:				
CONSTRUCTION			meası	ired abov	ve land surface			No potential source within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia		on (m	m/dd/yy			PERI	MIT & ID NUMBER	S (AS REQUI	RED)	
fromto ft.				_	gpm						
fromto ft.		in.	Water lev	el was: _	ft. after			VR Application No.:			
Casing height above land sur	rface:			. 11 . 10	pumping	gpm		HE / EPA Project C			
If casing height is less the has a variance been appr		s No	Pump ins	talled?	Yes No			Name: HE UIC Class V Fo			No
*variance not required fo			Water we	ll disinfe	cted? Yes N	o		County Permit: Yes No Permit ID:			
or environmental remed	liation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:	G .		Aquifer, i	f known:				f boreholes:			
Blank casing interval:		—" L									
Blank casing diameter: Casing joints:			FROM	TO	LITHOLOGY	INTERVALE					
Weight:lbs			FROIN	10	LITHOLOGI	INTERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge	no.:	_									
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.										
Grout material:		0	OMMEN	TS							
Screen / perforation material											
Screen / perforation opening			ONTRAC	TOR'S C	OR LANDOWNER	S CERTIFICATI	ON				
Screen / perforation intervals					was constructe		structed	pursuant to	the stated w	ater well	
Fromft. to								I certify tha			
Slot size unit _						=		ecord was comple			
Fromft. toft.				-	_			cord was comple			_
Slot size unit _											
Gravel pack intervals:								under the aut	•	_	
Gravel pack not used: Gravel size in			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
From ft. to	ft.				on at its submitt			 •			
Gravel pack not used:	Gravel size _	in S	end one c	opy to W				our records. Fee of \$		constructe	ed well.

Form	WWC5.2 - Water Well Record			
Doc ID	1851633			
Well Owner	Wilda Beth Acoya Rose			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	305	16	Welded	.250
445	476	16	Welded	.250
556	566	16	Welded	.250

Form	WWC5.2 - Water Well Record			
Doc ID	1851633			
Well Owner	Wilda Beth Acoya Rose			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	34	clay,caliche stringers,brown
34	67	sand,fine,clayey
67	87	sand & gravel,fine to coarse
87	119	clay,brown,Some limerock
119	138	sand,fine
138	170	sand & gravel,fine to medium
170	175	clay,brown
175	270	sand & gravel, fine to coarse
270	283	clay,sandy,grayish,brown
283	310	sand & gravel,fine to coarse
310	319	sand,fine to coarse,clayey
319	324	clay,brown
324	340	sand & gravel,medium to coarse,clayey
340	355	sand & gravel,fine to coarse
355	380	clay,silty,grayish,brown
380	393	sand,very fine,silty,thin clay
393	405	sand,fine,silty
405	416	sand,fine to coarse
416	418	limestone,slightly weathered
418	427	clay,brown,loose,not cemented
427	445	sand,fine to coarse

Form	WWC5.2 - Water Well Record
Doc ID	1851633
Well Owner	Wilda Beth Acoya Rose
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
445	464	clay,whiteish,brown,loose,not cemented,limerock, few sand
464	479	clay,white,loose,not cemented,limerock
479	486	silt,clayey
486	496	clay,brown,limerock
496	505	silt,clayey
505	530	sand,very fine,clayey
530	541	clay,brown,weakly cemented,few limerock
541	556	sand,very fine
556	572	clay,brown,few yellow soapstone
572	585	shale,completely weathered
585	640	shaley limestone,slightly weathered

Form	WWC5.2 - Water Well Record			
Doc ID	1851633			
Well Owner	Wilda Beth Acoya Rose			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Screen and Gravel

From	То			Gravel Pack Used			Gravel Size
305	355	.08	inches	Yes	20	355	.25
355	445	.05	inches	Yes	355	566	.125
476	556	.05	inches	No			