_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	LL					Original F	Recor	d Coi	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ra	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County								
WATER WELL OWNER			WELL	NATER USI				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMPI	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	l:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				t.	Source descriptio	n.			
			-	-	(2) ft.;							
Well location					(4) dry well							
					·		_	from well:		Direction from we	ll:	
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y			-	No pot	ential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):			_	within 100 feet.					
Fromtoftin.			Estimated yield: gpm			$\overline{}$	PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	o.:		
			, vaici					1				
Casing height above land s		m.	pumping gpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Tamp mounted. 165 110			_	KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				No	
*variance not required for monitoring			Water well disinfected? Yes No									
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:	ft to		Aquif	er, if known	:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:				LOGIC LOG								
Casing joints:			FRO		LITHOLOGY I	NTERVALS						
Weight:ll												
Wall thickness or gauge												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:ll	bs/ft.											
Wall thickness or gauge	e no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		50111									
Grout material:			COMM	ENIS								
Screen / perforation materia												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation interva					was constructed			_		the stated w		
Fromft. to					ense and was com	•			•			
Slot size unit				•	knowledge and be				•			
From ft. to Slot size unit					ness name of							
Gravel pack intervals:	·		Kans	as Water V	Vell Contractor's	License No		ur	nder the au	ithority of th	e designa	ated
Gravel pack not used:	Gravel size	in	perso	n as defin	ed in K.A.R. 28-3	30-2(j) and	signe	d and certifi	ied by the	electronic sią	gnature o	f the
From ft. to		111	desig	nated pers	son at its submitta	al:			·			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OW	NER and reta	ain one	for your reco	ords. Fee of	\$5.00 for each	constructe	ed well
Fromft. to				Bureau	of Water, Geology	Section, 100	0 SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, To		2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1851571
Well Owner	Clark Jantz
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	38	clay,sandy
38	49	sand,fine,clayey
49	58	clay,sandy
58	85	sand,fine
85	109	sand,fine to coarse,gravelly
109	115	clay,sandy
115	128	sand,fine to coarse,gravelly
128	138	clay,sandy
138	186	sand,fine to coarse,gravelly
186	249	sand,fine to coarse
249	261	clay,blue
261	330	sand,fine to coarse,gravelly
330	338	clay,blue
338	354	sand,fine to coarse
354	372	clay,blue
372	392	clay,sandy,blue
392	466	sand,fine to coarse
466	500	clay,sandy
500	505	sand,fine
505	519	sand,fine,clayey
519	543	sand,fine
543	550	clay,fine,sandy
550	558	sand,fine to medium,gravelly

Form	WWC5.2 - Water Well Record		
Doc ID	1851571		
Well Owner	Clark Jantz		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
558	568	sand,fine to coarse,gravelly
568	620	shale,completely weathered