WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

Lantande Longitude Datum Dievation Section Township Range P Fraction % % % % % NET WEEK District Source District Di	OCATION OF WATER WE	LL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Marke Well Lowers Mell Water US Means Source So					Section	Township	Range	E	Fraction	1/4	1/4	1/4
Name Same Sa						1	8	VV				
Source Depth of completed well:					,	=		NEADECT	SOURCE OF	DOTENTIAL C	ONITAMIN	LATION
Distance Direction Depth of completed well: Depth of completed well				WELL	WATER US	=						IATION
Address Commercial												
Depth(s) groundwater encountered: (1)	Business			COMP	LETION			from well	:	from wel		
Depth(s) groundwater encountereds 10	Address			Depth	of comple	ted well:	ft.	Source				
Salick water level in well:	Address			Depth	n(s) ground	water encountered			on:			
Satic water level in well:				(1)	ft.;	(2) ft.;		Source:				
Source description: Static water level in well:	Well location			(3)	ft.;	(4) dry well					n	
measured below land surface on (mm/dd/yy): measured above land surface on (mm/dd/yy): Estimated yield: gpm Water level was: fl. after hours pumping gpm Pump installed! Yes No Variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval: fl. to fl. Casing joints: Weight: lbs/fl. Wall thickness or gauge no: Blank casing interval: fl. to fl. Grout interval: fl. to fl. Grout interval: fl. to fl. Grout interval: fl. to fl. Soreen / perforation material: Soreen / perforation material: Crout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Grout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Grout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Soreen / perforation material: Crout interval: fl. to fl. Sore y perforation in				Static	water level	in well:	t.		l:	from wel	l:	
messured above land surface on (mm/dd/yy): Dorbole interval: fit to fit. fit				measured below land surface								
Borehole interval: Borehole diameter: fromtoft	CONSTRUCTION									ce of contami	nation	
Fromft oft in ininininin	Borehole interval:	Borehole dia	meter:					withir	100 feet.			
from to ft. in. Casing height above land surface: in. If casing height is less than 12 in. Variance not required for monitoring or environmental remediation wells Casing type: Blank casing diameter: in. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Crout interval: ft. to ft. Soreen / perforation material: Common ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Send one copy to WATRAPINE SIDE DAWNERS DEATMENT OF HEALTH AND ENVIRONMENT								PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
Casing height above land surface:							houre	DWR An	plication No	:		
If casing height is less than 12 in. has a variance been approved? Yes No 'variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval: fi. toft. Blank casing interval: min. Casing joints: Weight:lbs/ft. Wall thickness or gauge no: Blank casing interval:ft. toft. Grout interval:ft. toft. Grout material: Grout material: Grout material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Sol stize unit Fromft. toft. Sol stize unit Fromft. toft. Sol stize unit Fromft. toft. Gravel pack not used:Gravel size in				vvalel								
Mas a variance been approved!* Yes No *variance not required for monitoring or environmental remediation wells Casing type: Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing idameter: in. Casing joints: weight: lbs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From f			in.	Pumn			\$P ¹¹¹					
Variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval:			s No	- ump	instanca.	103 110						No
or environmental remediation wells Casing type: Blank casing interval: fi. to fi. Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Crout interval: fi. to fi. Grout material: Grout material: Grout material: Screen / perforation material: Screen / perforation intervals: From fi. to fi. Slot size unit From fi. to fi. Slot size unit Gravel pack not used: Gravel size in From fi. to fi. Gravel pack not used: Gravel size in Form fi. to fi. Gravel pack not used: Gravel size in From fi. to fi. Gravel pack not us				Water	well disinf	ected? Yes N	o			•		
Casing type: Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: lbs/ft. Weight interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Crout interval: ft. to ft. Grout material: Grout interval: ft. to ft. Grout material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in				Date disinfected (mm/dd/yy):								
Blank casing diameter:in. Casing joints:				4 :0				I				
Casing joints:			ft.									
Weight:lbs/ft. Wall thickness or gauge no.: Blank casing interval:ft. toft. Blank casing interval:in. Casing joints: Weight:lbs/ft. Wall thickness or gauge no.: Grout interval:ft. toft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein From												
Wall thickness or gauge no: Blank casing interval: Blank casing diameter: in. Casing joints: Weight: Wall thickness or gauge no: Weight: Ibs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel pack intervals: Gravel pack intervals: Gravel pack not used: Gravel pack intervals: Gravel pack not used: Grav				FROI	м то	LITHOLOGY	NTERVALS					
Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight:lbs/ft. Wall thickness or gauge no.: Grout interval: ft. toft. Grout material:	-											
Blank casing diameter:in. Casing joints:	0 0											
Casing joints: Weight:lbs/ft. Wall thickness or gauge no: Grout interval:ft. toft. Grout material: Grout material:			ft.									
Weight:lbs/ft. Wall thickness or gauge no.:												
Wall thickness or gauge no: Grout interval:	· -											
Grout interval:												
Grout interval: ft. to ft. Grout material: COMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CONTRACTOR'S OR LANDOWNERS CERTIFICATION This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to the best of my knowledge and belief. This water well record was completed on Intervals: Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. to ft. to ft. to ft. to	Wall thickness or gauge	e no.:										
Grout interval:ft. toft. Grout material:	Grout interval: ft.	toft.										
Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein	Grout material:											
Screen / perforation material: Screen / perforation openings: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout interval: ft.	toft.										
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout material:			COMM	IENIS							
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT												
Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein	Screen / perforation materia	al:										
Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizeinft. toft. Gravel pack not used: Gravel sizeininft. toft. Gravel pack not used: Gravel sizeininin	Screen / perforation opening	ngs:		CONTI	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Slot size unit the best of my knowledge and belief. This water well record was completed on the best of my knowledge and belief. This water well record was completed on under the business name of, Kansas Water Well Contractor's License No under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Screen / perforation interva	ıls:		This	water well	was constructe	d reconstr	ucted	pursuant to	the stated w	ater well	
Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Fromft. to	ft.		contr	actor's lice	ense and was con	npleted on		I certify th	at this record	d is true 1	to
Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein	Slot size unit	:		the b	est of my l	knowledge and b	elief. This water	well record	was comple	eted on		
Slot size unit Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	From ft. to	ft.			•				•			
Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in Gravel size in From ft. to ft. Gravel pack not used: Gravel size in KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Slot size unit	i										
Gravel pack not used: Gravel sizein	Gravel pack intervals:									•	_	
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Gravel pack not used:	Gravel size	in	-			-	eu and certii	nea by the 6	eiectronic sig	;nature o	ı tne
From ft to ft to ft KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	From ft. to	ft.							·			
From the to the second	Gravel pack not used:	Gravel size	in	Send or	ne copy to V			•			constructe	ed well.
	From ft. to	ft.			Bureau						2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1852717		
Well Owner	P&M Farms		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	489	16	Welded	.25
506	536	16	Welded	.25
652	672	16	Welded	.25

Form	WWC5.2 - Water Well Record		
Doc ID	1852717		
Well Owner	P&M Farms		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	19	clay,caliche stringers
19	30	sand,fine to medium
30	41	clay,caliche stringers
41	75	sand,fine to coarse
75	83	clay
83	103	sand,fine to medium
103	126	clay,sandy
126	166	sand,fine,clayey
166	265	clay,sandy
265	273	sand,fine to medium,clayey
273	295	sand,fine to coarse
295	324	clay,sandy
324	339	sand,fine to medium
339	384	clay,caliche stringers
384	395	sand,fine to coarse
395	402	clay
402	431	sand & gravel,fine to coarse
431	445	clay,other,yellow
445	560	shale,highly weathered,sandy
560	591	sandstone,slightly weathered,clayey
591	592	limestone,slightly weathered

Form	WWC5.2 - Water Well Record		
Doc ID	1852717		
Well Owner	P&M Farms		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
592		sandstone,moderately weathered
608	619	shale,highly weathered
619		sandstone,slightly weathered,clayey
652	672	shale,slightly weathered,red