WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELI	L					Original Rec	ord	Cor	rection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	e	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County		8		VV				
WATER WELL OWNER	210 vacion			ATER USE			NE	ADECT C	OLIBCE OF E	POTENTIAL C	ONTAMIN	IATION
Name			VVEEL	AI LIT OSL	-		1 -					IAIION
							_	Distance		Direction		
Business			COMPL	ETION			ı fi	rom well:		_ from wel	İ:	
Address			Depth	of complet	ed well:	ft.		ource				
			-	-	water encountered:			lescription				
					(2) ft.;		S	ource:				
Well location			(3)	ft.; ((4) dry well			Distance		Direction from wel	1 1.	
at owner's			Static v	vater level	in well:f	t.		ource		_ IIOIII Wei	1	
address			measured below land surface				1 1 -	description:				
CONSTRUCTION				(mm/dd/y				No pote	ential sourc	e of contami	nation	
	Danah ala dia	ot on		isured abo (mm/dd/y	ve land surface				100 feet.	c or containing	iution	
Borehole interval:	Borehole dia						PE	RMIT & I	D NUMBER	S (AS REQUI	RED)	
fromto ft.		in.			gpm			NI47D 4	1: .: 37			
fromto ft.		in.	Water l	evel was: _	ft. after					:		
Casing height above land sur	rface:	in.	pumpinggpm				KDHE / EPA Project Code: Site Name:					
If casing height is less that has a variance been appr		NT	Pump	nstalled?	Yes No					orm Complete		No
*variance not required for		s No	Water	well disinfe	ected? Yes N	0				No Permi		
or environmental remed					(mm/dd/yy):		1 1	•		No remin		
Casing type:										# of dewater		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:] ["	of borein		# of dewater	ing wens:	
Blank casing diameter:	in.		LITHOL	OGIC LOG	i							
Casing joints:			FROM	то	LITHOLOGY I	NTERVALS						
Weight:lbs	s/ft.											
Wall thickness or gauge i												
Blank casing interval:		ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:lbs												
Wall thickness or gauge i	no.:											
Grout interval: ft. to	ft.											
Grout material:												
Grout interval: ft. to	ft.											
Grout material:			COMME	:N15								
Screen / perforation material	·											
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION	N					
Screen / perforation intervals	:		This w	ater well	was constructe	d reconst	tructed	d p	ursuant to	the stated w	ater well	
Fromft. to	_ft.		contra	ctor's lice	ense and was con	npleted on]	I certify tha	at this record	d is true t	to
Slot size unit _			the be	st of my l	knowledge and b	elief. This wate	er well	record v	vas comple	ted on		
From ft. to				•	ness name of				•			
Slot size unit _					Vell Contractor's							
Gravel pack intervals:					ed in K.A.R. 28-3					•	_	
Gravel pack not used:		in	-				iicu al	ia cei tiil	ca by the e	icentonic sig	,1101111 0	ı uic
From ft. to					on at its submitt	<u> </u>			1.5	500 C		1
Gravel pack not used:	Gravel size	in	Send on	e copy to V	VATER WELL OW	NER and retain E PARTMENT OI		•			constructe	ed well
From ft. to	ft.			Bureau	of Water, Geology						-1367	
								_	-			

Form	WWC5.2 - Water Well Record
Doc ID	1851437
Well Owner	TYSON FRESH MEATS INC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	45	sand,fine,soft
45	64	gravel,fine to coarse,stiff
64	79	clay,brown,soft
79	86	sand & gravel,fine to coarse,soft
86	105	clay,sandy,brown,soft
105	129	sand & gravel,fine to coarse,stiff
129	134	clay,sandy,soft
134	155	sand & gravel,fine to coarse,stiff
155	164	clay,brown,soft
164	170	sand & gravel, fine to coarse, stiff
170	177	clay,brown,soft
177	196	sand & gravel,fine to coarse,stiff
196	202	clay,brown,soft
202	217	clay,brown,soft
217	223	sand,fine to coarse,soft
223	227	clay,brown,soft
227	255	sand,fine to coarse,soft
255	261	clay,white,stiff
261	278	sand & gravel,fine to coarse,stiff
278	281	clay,brown,soft

Form	WWC5.2 - Water Well Record
Doc ID	1851437
Well Owner	TYSON FRESH MEATS INC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
281	296	sand & gravel,fine to coarse,stiff
296	302	clay,sandy,white,firm
302	334	sand,fine,white,firm
334	345	clay,white,soft
345	358	sand & gravel,fine to coarse,stiff
358	492	sand,fine to coarse,clayey,brown,firm
492	499	gravel,fine,brown,stiff
499	530	clay,yellowish,gray,soft
530	556	sand,fine,brown,stiff
556	576	sandstone,unknown,blue,soft
576	583	shale,unknown,blue,soft
583	596	sandstone,unknown,gray,soft
596	602	shale,unknown,blue,soft
602	617	sandstone,unknown,gray,hard
617	630	sandstone,unknown,gray,soft
630	663	shale,unknown,blue,hard
663	695	sandstone,unknown,gray,soft
695	708	shale,unknown,blue,hard

Form	WWC5.2 - Water Well Record
Doc ID	1851437
Well Owner	TYSON FRESH MEATS INC
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used			Gravel Size
239	279	.06	inches	Yes	80	708	#1
279	499	.08	inches	No			
499	579	.06	inches	No			
579	699	.05	inches	No			