## **WATER WELL RECORD** (WWC-5)

VATER WELL R	RECORD (WW	/C-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER V	WELL			Or	iginal Recor	d Correction	Change in We	ell Us
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1
Datum	Elevation		County	-		***		
ATER WELL OWNER		WE	ELL WATER USE	 !		NEAREST SOURCE OF P	OTENTIAL CONTAMI	INATIO
Jame						Source:		
Business			MPLETION			Distance	Direction	
743111033				,		from well:	_ from well:	
Address			-	ed well: water encountered:	ft.	Source description:		
			l) ft.; (					
Well location			3) ft.; (			Source:		
						Distance from well:	from well:	
at owner's address		St	Static water level in well: ft.  measured below land surface			Source		
address			on (mm/dd/yy			description:		
ONSTRUCTION			measured abov	ve land surface		No potential source within 100 feet.	of contamination	
Borehole interval:	Borehole diam	eter:	on (mm/dd/yy	y):			C (AC DEOLUBED)	
romtoft		in. E	stimated yield: _	gpm		PERMIT & ID NUMBERS	(A3 REQUIRED)	
romtoft	·	in. W	Vater level was: _	ft. after	hours	DWR Application No.:		
Casing height above lan	d surface:	_in.		pumping	gpm	KDHE / EPA Project Code:		
If casing height is les		P	ump installed?	Yes No		Site Name:		
has a variance been approved?* Yes No			Votor wall disinfo	ectad2 Vac No		KDHE UIC Class V Fo	•	
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No  Date disinfected (mm/dd/yy):			County Permit: Yes No Permit ID:		
Casing type:		_	vate distillected (	da/yy)		Lease Name & Well #:		
Blank casing interval:	ft. to	ft. A	quifer, if known	:		# of boreholes:	# of dewatering wells	S:
Blank casing diameter:	in.	LIT	HOLOGIC LOG		,			
Casing joints:		F	ROM TO	LITHOLOGY INT	ERVALS			
Weight:	_lbs/ft.							
· ·	uge no.:	·						
Blank casing interval:		_ft.						
Blank casing diameter:								
Casing joints:		_   _						
Weight:	_lbs/ft.							
Wall thickness or ga		-						
Grout interval:								
Grout material:								
Grout interval:		со	MMENTS					
Grout material:								
Ecran I narforation mat	arial.							
creen / perforation mat creen / perforation ope			NTRACTOR'S	OR LANDOWNERS CI	ERTIFICATION			
creen / perforation inte				was constructed	reconstru	cted nursuant to t	the stated water we	11
Fromft. to						. I certify tha		
Slot sizeu				-		•		
Fromft. to			•	•		vell record was complet		
Slot size u								
Fravel pack intervals:						under the aut		
Gravel pack not used	d: Gravel size	in   -			-	l and certified by the el	ectronic signature	of th
From ft. to _	ft.			on at its submittal:_		·		
Gravel pack not used	d: Gravel size	in Ser	nd one copy to W			for your records. Fee of \$5		ted w
From ft. to _	ft.		Bureau			EALTH AND ENVIRONM ackson St., Suite 420, Tope		
		1		, = 1 - 8/ 500	, ,	,, -op		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1850489
Well Owner	JOEL & KAREN MCCLURE
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals	
0	3	topsoil,brown,soft	
3	10	clay,silty,brown,soft	
10	18	clay,sandy,white,soft	
18	50	clay,sandy,tan,soft	
50	83	clay,brown,soft	
83	115	clay,sandy,brown,firm	
115	140	clay,sandy,tan,soft	
140	145	sand,fine,soft	
145	156	sand,fine to coarse,firm	
156	160	clay,brown,soft	
160	169	sand,fine to medium,soft	
169	174	sand & gravel,fine to medium,stiff	
174	196	clay,brown,soft	
196	203	sand,fine,soft	
203	210	sand,fine to coarse,firm	
210	223	clay,brown,soft	
223	230	sand,fine to coarse,firm	
230	239	clay,brown,soft	
239	247	sand,fine to coarse,firm	
247	260	clay,sandy,tan,soft	
260	274	sand,fine to coarse,white,stiff	
274	291	clay,brown,soft	
291	309	sand,fine,soft	

Form	WWC5.2 - Water Well Record
Doc ID	1850489
Well Owner	JOEL & KAREN MCCLURE
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
309	318	sand,fine to coarse,firm
318	320	clay,sandy,tan,soft
320	335	sand & gravel,fine to coarse,white,stiff
335	341	sand & gravel, fine to coarse, firm
341	427	sand & gravel, fine to coarse, white, stiff
427	442	clay,brown,soft
442	453	sand,fine to medium,brown,soft
453	483	sand,fine to medium,soft
483	519	clay,brown,soft
519	535	sand,fine to coarse,firm
535	545	other,unknown,clayey,red,har d,RED BED