## **WATER WELL RECORD** (WWC-5)

VATER WELL R	RECORD (WW	/C-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER V	WELL			Or	iginal Recor	d Correction	Change in We	ell Us
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1
Datum	Elevation		County	-		***		
ATER WELL OWNER		WE	ELL WATER USE	 !		NEAREST SOURCE OF P	OTENTIAL CONTAMI	INATIO
Jame						Source:		
Business			MPLETION			Distance	Direction	
743111033				,		from well:	_ from well:	
Address				ed well: water encountered:	ft.	Source description:		
			l) ft.; (					
Well location			3) ft.; (			Source:		
						Distance from well:	from well:	
at owner's address		St		in well: ft.		Source		
address			on (mm/dd/yy			description:		
ONSTRUCTION			measured abov	ve land surface		No potential source within 100 feet.	of contamination	
Borehole interval:	Borehole diam	eter:	on (mm/dd/yy	y):			C (AC DEOLUBED)	
romtoft		in. E	stimated yield: _	gpm		PERMIT & ID NUMBERS	(A3 REQUIRED)	
romtoft	·	in. W	Vater level was: _	ft. after	hours	DWR Application No.:		
Casing height above lan	d surface:	_in.		pumping	gpm	KDHE / EPA Project C	ode:	
If casing height is les		P	ump installed?	Yes No		Site Name:		
has a variance been			Votor wall disinfo	ected? Yes No		KDHE UIC Class V Fo	•	
*variance not required for monitoring or environmental remediation wells				mm/dd/yy):		County Permit: Yes		
Casing type:		_	vate distillected (	da/yy)		Lease Name & Well #:		
Blank casing interval:	ft. to	ft. A	quifer, if known	:		# of boreholes:	# of dewatering wells	S:
Blank casing diameter:	in.	LIT	HOLOGIC LOG		,			
Casing joints:		F	ROM TO	LITHOLOGY INT	ERVALS			
Weight:	_lbs/ft.							
· ·	uge no.:	·						
Blank casing interval:		_ft.						
Blank casing diameter:								
Casing joints:		_   _						
Weight:	_lbs/ft.							
Wall thickness or ga		-						
Grout interval:								
Grout material:								
Grout interval:		со	MMENTS					
Grout material:								
Ecran I narforation mat	arial.							
creen / perforation mat creen / perforation ope			NTRACTOR'S	OR LANDOWNERS CI	ERTIFICATION			
creen / perforation inte				was constructed	reconstru	cted nursuant to t	the stated water we	11
Fromft. to						. I certify tha		
Slot sizeu				-		•		
Fromft. to			•	•		vell record was complet		
Slot size u								
Fravel pack intervals:						under the aut		
Gravel pack not used	d: Gravel size	in   -			-	l and certified by the el	ectronic signature	of th
From ft. to _	ft.			on at its submittal:_		·		
Gravel pack not used	d: Gravel size	in Ser	nd one copy to W			for your records. Fee of \$5		ted w
From ft. to _	ft.		Bureau			EALTH AND ENVIRONM ackson St., Suite 420, Tope		
		1		, = 1 - 8/ 500	, ,	,, -op		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1850049
Well Owner	YOST FARMS
Contractor	Downey Drilling, Inc. #748

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	315	16	Welded	.250
295	435	16	Welded	.250
595	605	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1850049
Well Owner	YOST FARMS
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
0	15	sand,fine,brown,soft
15	17	clay,brown,soft
17	48	gravel,fine to coarse,stiff
48	62	clay,brown,soft
62	68	sand & gravel,fine to coarse,soft
68	77	clay,sandy,brown,soft
77	95	sand & gravel,fine to coarse,soft
95	100	clay,sandy,brown,stiff
100	108	sand,fine to coarse,white,stiff
108	115	clay,brown,stiff
115	134	sand & gravel,fine to coarse,stiff
134	139	clay,blue,soft
139	149	sand & gravel,fine to coarse,stiff
149	152	clay,gray,soft
152	166	sand & gravel,fine to coarse,stiff
166	172	clay,blue,soft
172	176	sand,fine to coarse,soft
176	180	clay,blue,soft
180	188	sand,fine to coarse,soft
188	199	clay,blue,soft

Form	WWC5.2 - Water Well Record
Doc ID	1850049
Well Owner	YOST FARMS
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals	
199	216	sand & gravel,fine to medium,white,stiff	
216	220	clay,sandy,brown,soft	
220	239	sand & gravel,fine to medium,white,stiff	
239	241	clay,blue,soft	
241	249	sand,fine to medium,white,stiff	
249	257	clay,gray,soft	
257	273	clay,green,firm	
273	295	sand,fine to coarse,clayey,brown,stiff	
295	402	sand & gravel,fine to coarse,white,stiff	
402	431	clay,brown,soft	
431	520	shale,unknown,brown,very soft	
520	579	sand,coarse,brown,soft	
579	605	shale,unknown,blue,hard	