WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL	_					Original Reco	rd Correction	Change	in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County			**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	IATION
Name							Source:			
Business			COMPL	FTION			Distance from well:			
Dublicos							from well:	from well:	:	
Address					ed well:		Source			
			-	•	water encountered	•	description:			
Well location					(2) ft.; (4) dry well		Source:			
vven location					·		Distance from well:	Direction from well:	:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/y)	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamin	ation	
Borehole interval:	Borehole dia	meter:		(mm/dd/y			within 100 feet.			
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUIR	RED)	
fromto ft.				-	gpm ft. after	hours	DWR Application No.:			
Casing height above land sur			rater		pumping		KDHE / EPA Project Co			
If casing height is less that			Pump	installed?	Yes No	8F	Site Name:			
has a variance been appr		s No	-				KDHE UIC Class V For			No
*variance not required fo			Water	well disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:	
or environmental remed	liation wells		Date d	isinfected ((mm/dd/yy):		Lease Name & Well #: _			
Casing type:Blank casing interval:	ft to		Aquife	r, if known	:		# of boreholes:	# of dewateri	ng wells:	
Blank casing diameter:		11.		OGIC LOG						
Casing joints:			FROM		LITHOLOGY	INTERVALS				
Weight: lbs			rkow	1 10	Limotogi	INTERVALS				
Wall thickness or gauge r										
Blank casing interval:		I .								
Blank casing diameter:										
Casing joints:										
Weight: lbs										
Wall thickness or gauge r	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			сомм	ENTS						
Screen / perforation material:	:									
Screen / perforation opening	s:		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation intervals	:		This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	
Fromft. to	_ft.		contra	actor's lice	ense and was con	npleted on	I certify that	this record	is true	to
Slot size unit _						=	well record was complete			
From ft. to	_ft.			-	=		wen record was complete			
Slot size unit _							under the auth			
Gravel pack intervals:										
Gravel pack not used:		in	-			,	d and certified by the ele	enomic sigi	.iature 0	ı me
From ft. to	ft.				on at its submitt					
Gravel pack not used:	Gravel size _	in	Send on	e copy to V			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.
From ft. to	ft.			Bureau			Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1848692
Well Owner	SYRACUSE FEEDYARD
Contractor	Downey Drilling, Inc. #748

Lithology

Littiology		
From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	7	sand,fine,soft
7	9	sand,fine,white,soft
9	15	sand & gravel,fine to coarse,stiff
15	25	clay,gray,soft
25	45	clay,black,hard
45	50	clay,green,hard
50	145	clay,black,hard
145	152	sandstone,unknown,gray,hard
152	159	clay,stiff
159	167	sandstone,unknown,gray,hard
167	207	sandstone,unknown,clayey,gr ay,soft
207	215	sandstone,unknown,gray,hard
215	233	sandstone,unknown,clayey,gr ay,hard
233	246	clay,gray,soft
246	252	sandstone,unknown,gray,hard
252	254	clay,black,hard
254	269	sandstone,unknown,clayey,gr ay,hard
269	310	sandstone,unknown,sandy,gr ay,hard
310	313	clay,gray,soft

Form	WWC5.2 - Water Well Record				
Doc ID	1848692				
Well Owner	SYRACUSE FEEDYARD				
Contractor	Downey Drilling, Inc. #748				

Lithology

From	То	Lithology Intervals
313	322	sandstone,unknown,sandy,gr ay,hard
322	326	clay,gray,soft
326	336	sand,fine,hard
336	346	clay,gray,soft
346	368	sandstone,unknown,sandy,gr ay,hard
368	456	sandstone,unknown,clayey,bl ack,hard
456	475	sandstone,unknown,sandy,gr ay,hard
475	490	clay,black,hard

Form	WWC5.2 - Water Well Record				
Doc ID	1848692				
Well Owner	SYRACUSE FEEDYARD				
Contractor	Downey Drilling, Inc. #748				

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
210	250	.04	inches	Yes	20	170	#1
250	270	.4	inches	Yes	190	490	#1
270	370	.04	inches	No			
430	450	.04	inches	No			
450	470	.04	inches	No			
470	490	.04	inches	No			