Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMI	NATION
Name											Source:				
Business					COM	PLETION					Distance		Directi		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	from well: from well: Source description:							
Well location			(1)ft.; (2)ft.; (3)ft.; (4) dry well					Distance	:	Directi	on rell:				
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source descriptio	on:						
CONSTRU	CTION	ı						nd surface				tential sourc	e of contan	nination	
Borehole	interv	al:	Borehole dia	meter:	С	n (mm/dd	/yy):					100 feet.			
	fromtoftin. fromtoftin.				Estimated yield: gpm Water level was: ft. after hours					DWR Application No.:					
Casing he	ight a	oove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
has a	varian	ght is less the ce been appi	roved?* Yes	s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No					
			or monitoring diation wells		Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
Casing ty		ilentai remet	anation wens		Date disinfected (mm/dd/yy):					Lease Name & Well #: # of boreholes: # of dewatering wells:					
		erval:	ft. to	ft.	Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:		
		meter:		_	LITHO	DLOGIC LO	OG								
					FRC	м т	o L	ITHOLOGY II	NTERVA	LS					
Weigh	-	lbs													
		ess or gauge	no.:												
			ft. to												
	-	meter:													
Casin	g joint	s:	- -												
Weigh		lbs													
Wall t			no.:												
		ft. to													
		rial:													
Grout interval: ft. to ft. Grout material:					СОМ	MENTS									
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
Screen / perforation openings:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
_	creen / perforation intervals: This water well was constructed reconstructed pursuant to the stated water well														
	omft. toft. contractor's license and was completed on I certify that this record is true to														
	Slot size unit the best of my knowledge and belief. This water well record was completed on														
Fromft. toft. under the business name of										,					
Slot sizeunit Kansas Water Well Contractor's License No under th						nder the au	thority of t	he design	ated						
Gravel pack intervals: person as defined in K A P 28 30 2(i) and signed and certified by the electronic signature.						ignature o	of the								
Gravel pack not used: Gravel size in designated								•			•		-		
													55.00 for eac	h construct	ed well
Graver pack not used: Graver size III					Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft. to ft.						Bure	au of W	ater, Geology						12-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1846891
Well Owner	USD 363 Holcomb
Contractor	Hydro Resources Mid Continent, Inc. #145

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	193	8	Glued	.316
253	273	8	Glued	.316
333	353	8	Glued	.316

Form	WWC5.2 - Water Well Record
Doc ID	1846891
Well Owner	USD 363 Holcomb
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	13	clay,brownish,gray
13	35	sand,fine to coarse,gravelly
35	41	clay,brown
41	52	sand,fine,clayey
52	81	sand,fine to coarse,gravelly
81	110	clay,gravelly,brown
110	126	clay,sandy,brown
126	135	other,Brown Clay & Limerock
135	143	sand,fine
143	165	other,brown clay & Limerock
165	175	clay,sandy,brown
175	255	sand,fine to coarse,gravelly
255	261	other,White Clay , Few Limerock
261	274	other,Brown Clay, Limerock, Cemented Sands
274	305	sand,fine to medium,clayey
305	333	sand,fine to coarse,gravelly
333	335	shale,completely weathered,Soapstone
335	340	shale,slightly weathered