
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

Lantande Longitude Datum Dievation Section Township Range P Fraction % % % % % NET WEEK District Source District Di	OCATION OF WATER WE	LL					Original Reco	ord Co	rrection	Chang	e in Wel	ll Use
Marke Well Lowers Mell Water US Means Source So					Section	Township	Range	E	Fraction	1/4	1/4	1/4
Name Same Sa						1	8	VV				
Source Depth of completed well:					,	=		NEADECT	SOURCE OF	DOTENTIAL C	ONITAMIN	LATION
Distance Direction Depth of completed well: Depth of completed well				WELL	WATER USI	=						IATION
Address Commercial												
Depth(s) groundwater encountered: (1)	Business			COMPLETION				Distance Direction				
Depth(s) groundwater encountereds 10	Address		Depth of completed well:ft.				Source					
Salick water level in well:	Address			Depth(s) groundwater encountered:				description:				
Satic water level in well:				(1)	ft.;	(2) ft.;		Source:				
Source description: Static water level in well:	Well location			(3)	ft.;	(4) dry well						
address addres				Static	water level	in well:	t.		l:	from wel	l:	
messured above land surface on (mm/dd/yy): Dorbole interval: fit to fit. fit				measured below land surface								
Borehole interval: Borehole diameter: fromtoft	CONSTRUCTION									ce of contami	nation	
Fromft oft in ininininin	Borehole interval:	Borehole dia	meter:									
from to ft. in. Casing height above land surface: in. If casing height is less than 12 in. Variance not required for monitoring or environmental remediation wells Casing type: Blank casing diameter: in. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: Ibs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Crout interval: ft. to ft. Soreen / perforation material: Common ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Send one copy to WATRAPINE SIDE DAWNERS DEATMENT OF HEALTH AND ENVIRONMENT								PERMIT &	ID NUMBER	RS (AS REQUI	RED)	
Casing height above land surface:							houre	DWR An	plication No	:		
If casing height is less than 12 in. has a variance been approved? Yes No 'variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval: fi. toft. Blank casing interval: min. Casing joints: Weight:lbs/ft. Wall thickness or gauge no: Blank casing interval:ft. toft. Grout interval:ft. toft. Grout material: Grout material: Grout material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Sol stize unit Fromft. toft. Sol stize unit Fromft. toft. Sol stize unit Fromft. toft. Gravel pack not used:Gravel size in				vvalel								
Mas a variance been approved!* Yes No *variance not required for monitoring or environmental remediation wells Casing type: Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing idameter: in. Casing joints: weight: lbs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From f			in.	Pumn			\$P ¹¹¹					
Variance not required for monitoring or environmental remediation wells Casing type: Blank casing interval:		s No	Lump	instanca.	103 110						No	
or environmental remediation wells Casing type: Blank casing interval: fi. to fi. Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Blank casing idiameter: in. Casing joints: Weight: lbs/fi. Wall thickness or gauge no: Crout interval: fi. to fi. Grout material: Grout material: Grout material: Screen / perforation material: Screen / perforation intervals: From fi. to fi. Slot size unit From fi. to fi. Slot size unit Gravel pack not used: Gravel size in From fi. to fi. Gravel pack not used: Gravel size in Form fi. to fi. Gravel pack not used: Gravel size in From fi. to fi. Gravel pack not us			Water well disinfected? Yes No				1					
Casing type: Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: lbs/ft. Weight interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no: Crout interval: ft. to ft. Grout material: Grout interval: ft. to ft. Grout material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in				Date disinfected (mm/dd/yy):								
Blank casing diameter:in. Casing joints:				4 :0				I				
Casing joints:			ft.									
Weight:lbs/ft. Wall thickness or gauge no.: Blank casing interval:ft. toft. Blank casing interval:in. Casing joints: Weight:lbs/ft. Wall thickness or gauge no.: Grout interval:ft. toft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein From												
Wall thickness or gauge no: Blank casing interval: Blank casing diameter: in. Casing joints: Weight: Wall thickness or gauge no: Weight: Ibs/ft. Wall thickness or gauge no: Grout interval: ft. to ft. Grout material: Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: From ft. to ft. Slot size unit From ft. to ft. Slot size unit Gravel pack not used: Gravel pack intervals: Gravel pack intervals: Gravel pack not used: Gravel pack intervals: Gravel pack not used: Grav				FROI	м то	LITHOLOGY	NTERVALS					
Blank casing interval: ft. to ft. Blank casing diameter: in. Casing joints: Weight:lbs/ft. Wall thickness or gauge no.: Grout interval: ft. toft. Grout material:	-											
Blank casing diameter:in. Casing joints:	0 0											
Casing joints: Weight:lbs/ft. Wall thickness or gauge no: Grout interval:ft. toft. Grout material: Grout material:			ft.									
Weight:lbs/ft. Wall thickness or gauge no.:												
Wall thickness or gauge no: Grout interval:	· -											
Grout interval:												
Grout interval: ft. to ft. Grout material: COMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CCOMMENTS CONTRACTOR'S OR LANDOWNERS CERTIFICATION This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to the best of my knowledge and belief. This water well record was completed on Intervals: Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. to ft. to ft. to ft. to	Wall thickness or gauge	e no.:										
Grout interval:ft. toft. Grout material:	Grout interval: ft.	toft.										
Grout material: Screen / perforation material: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein	Grout material:											
Screen / perforation material: Screen / perforation openings: Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout interval: ft.	toft.										
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Grout material:			COMM	IENIS							
Screen / perforation openings: Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT												
Screen / perforation intervals: Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack not used: Gravel sizein	Screen / perforation materia	al:										
Fromft. toft. Slot sizeunit Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizeinft. toft. Gravel pack not used: Gravel sizeininft. toft. Gravel pack not used: Gravel sizeininin	Screen / perforation opening	ngs:		CONTI	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Slot size unit the best of my knowledge and belief. This water well record was completed on the best of my knowledge and belief. This water well record was completed on under the business name of, Kansas Water Well Contractor's License No under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Screen / perforation interva	ıls:		This	water well	was constructe	d reconstr	ucted	pursuant to	the stated w	ater well	
Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Fromft. to	ft.		contr	actor's lice	ense and was con	npleted on		I certify th	at this record	d is true 1	to
Fromft. toft. Slot sizeunit Gravel pack intervals: Gravel pack not used: Gravel sizein Fromft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein ft. toft. Gravel pack not used: Gravel sizein	Slot size unit	:		the b	est of my l	knowledge and b	elief. This water	well record	was comple	eted on		
Slot size unit Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in From ft. to ft. Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	From ft. to	ft.			•				•			
Gravel pack intervals: Gravel pack not used: Gravel size in From ft. to ft. Gravel pack not used: Gravel size in Gravel size in From ft. to ft. Gravel pack not used: Gravel size in KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Slot size unit	i										
Gravel pack not used: Gravel sizein	Gravel pack intervals:									•	_	
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	Gravel pack not used:	Gravel size	in									
From ft to ft to ft KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT	From ft. to	ft.							·			
From the to the second	Gravel pack not used:	Gravel size	in	Send or	ne copy to V			•			constructe	ed well.
	From ft. to	ft.			Bureau						2-1367	



NOTE: Utility depths and locations are approximate.

1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas 66046

Proj. 25-00N 29TH Quick Shop

April 18, 2025

RE: Monitor Well Elevation Survey 3101 SW 29th St., Topeka, Kansas

KDHE ID U4-089-15627

Bench Ma Elev: 905.		X on top NW rth 5205.00		old concrete at 2813.37	sign base near the NE Corner of property. (from SE Cor. Sec. 5-10-19E)			
MW-1	rim	906.08	North	5135.27	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	905.75	West	2817.36	Lat = 39.01469 Long = 95.71624			
MW-2	rim	906.04	North	5201.29	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	905.59	West	2885.90	Lat = 39.01487 Long = 95.71648			
MW-3	rim	907.33	North	5115.40	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	906.70	West	2877.22	Lat = 39.01463 Long = 95.71645			
MW-4	rim	915.63	North	5023.66	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	915.30	West	2962.83	Lat = 39.01438 Long = 95.71675			
MW-5	rim	907.32	North	5154.85	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	907.06	West	2957.98	Lat = 39.01474 Long = 95.71674			
MW-6	rim	912.15	North	5078.43	NE1/4,NE1/4,NE1/4,NW1/4			
	top pipe	911.49	West	2843.88	Lat = 39.01453 Long = 95.71633			
MW-7	rim	909.32	North	5291.84	SE1/4,SE1/4,SE1/4,SW1/4 (Sec.32-9-19E)			
	top pipe	908.92	West	2938.57	Lat = 39.01512 Long = 95.71667			

Elevation derived from City of Topeka Bench Mark #25.1 NAVD 88

Lat & Long derived from Topeka 7.5 Quad Map WGS84

If you have any, questions, please feel free to call me. Thank you for the opportunity to be of service to your