
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WELL						Original Reco	rd Correction	Change	in We	ll Use	
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation		С	ounty	'		**				
WATER WELL OWNER			WELL W	ATER USE	:		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	IATION	
Name							Source:				
Business			COMPLE	TION			Distance from well:		L		
Dubiness							from well:	from well	:		
Address					ed well:		Source				
			-	•	vater encountered	•	description:				
Well location					(2) ft.; (4) dry well		Source:				
Well location							Distance from well:	Direction from well	: :		
at owner's					in well:	ft.	Source				
address			1	sured belo mm/dd/yy	w land surface		description:				
CONSTRUCTION					ve land surface		No potential source	of contamir	ation		
Borehole interval:	Borehole dia	meter:		mm/dd/yy			within 100 feet.				
fromto ft.		in.			gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)		
fromtoft.					gpm ft. after	hours	DWR Application No.:_				
Casing height above land sur			/ rater it		pumping		KDHE / EPA Project Co				
If casing height is less that		m.	Pump i	nstalled?	Yes No		Site Name:				
has a variance been appro		s No					KDHE UIC Class V Form Completed: Yes No				
*variance not required fo		Water v	vell disinfe	ected? Yes N	o	County Permit: Yes	No Permit	ID:			
or environmental remed	iation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:Blank casing interval:	ft to	<del></del>	Aguifer	, if known	<u>:</u>		# of boreholes:	# of dewateri	ing wells:		
Blank casing diameter:		11.		OGIC LOG							
Casing joints:			FROM		LITHOLOGY	INTERVALS					
Weight: lbs/			rkow	10	Ennotogn	INTERVALS					
Wall thickness or gauge n											
Blank casing interval:		I .									
Blank casing diameter:											
Casing joints:											
Weight:lbs/											
Wall thickness or gauge r	10.:										
Grout interval: ft. to	ft										
Grout material:											
Grout interval: ft. to											
Grout material:			COMME	NTS							
Screen / perforation material:											
Screen / perforation opening	s:		CONTRA	CTOR'S	OR LANDOWNER	S CERTIFICATION	I			I	
Screen / perforation intervals:			This w	ater well	was constructe	d reconstru	icted pursuant to the	he stated w	ater well		
Fromft. to	ft.		contra	ctor's lice	nse and was con	npleted on	I certify that	this record	l is true	to	
Slot size unit _						=	well record was complete				
From ft. to	ft.			-	_		wen record was compress				
Slot size unit _							under the auth				
Gravel pack intervals:											
Gravel pack not used:		in	-			,	ed and certified by the ele	etronic sig	nature 0	ı me	
From ft. to	_ ft.				on at its submitt						
Gravel pack not used:	Gravel size _	in	Send one	copy to W			e for your records. Fee of \$5 IEALTH AND ENVIRONME		onstructe	ed well.	
From ft. to	_ ft.			Bureau			Jackson St., Suite 420, Tope		-1367		





1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office

## PROJECT:

Casey's General Store #3925 606 N McGee St Caney, KS KDHE ID: U3-063-15344

Date: 6/19/25

100 feet

Approximate Loss and Pump Island

Approximate Location of Former UST Basin and Pump Island

- New Monitoring Well (Installed 6/18-19/25)
- Monitoring Well

X Soil Boring (Drilled 1/17-19/23)

Overhead Lines (25-40 ft high)

Sanitary Sewer (2 - 6 ft BGS) Gas (2 - 6 ft BGS) - Telephone (2 - 6 ft BGS) Electric (2 - 6 ft BGS) Water (2 - 6 ft BGS)

NOTE: SB5 & SB6 were drilled to collect hydrological samples NOTE: Utility depths, heights and locations are approximate.

## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

July 17, 2025

RE: Monitor Well Elevation Survey 606 N. McGee St., Caney, Kansas

Proj. 25-00Z Casey's General Store #3925 U3-063-15344

Bench Mark: Chisled Square on NW corner of Casey's concrete sign base at SW corner of property.

(from SE Cor. Sec. 7-35-14E) Elevation: 779.70 North 2738.07 West 5225.80

MW-13	rim	772.46	North	3075.45	NW1/4,SW1/4,SW1/4,NW1/4
	top pipe	772.26	West	4961.45	Lat= 37.01774 Long = 95.92730
MW-14	rim	770.43	North	3153.90	NW1/4,SW1/4,SW1/4,NW1/4
	top pipe	770.04	West	5137.92	Lat= 37.01795 Long = 95.92791
MW-15	rim	772.41	North	3256.67	NW1/4,SW1/4,SW1/4,NW1/4
	top pipe	772.09	West	5248.64	Lat= 37.01823 Long = 95.92829

Lat & Long derived from Caney 7.5' quad map. WGS 84.

Elevation established from existing project. NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you.