\_ WELL ID\_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	L					Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		S	ection	Township	Range	E Fraction	1/4	1/4	1/4
Datum	Elevation			County		8	W			
WATER WELL OWNER	210 vacion			ATER USE			NEAREST SOURCE OF PO	TENTIAL CO	NITAMIN	MATION
				ATEN OSE	-					ATTON
Name							Source:	Direction		
Business			COMPL	ETION			from well:	from well		
Address			Depth	of complet	ed well:	ft.	Source			
			1 -		water encountered:		description:			
			(1)	ft.;	(2) ft.;		Source:			
Well location			-		(4) dry well		Distance from well:	Direction from well	:	
at owner's address			mea		in well: f ow land surface	t.	Source description:			
CONSTRUCTION	1		mea	sured abo	ve land surface		No potential source within 100 feet.	of contamir	ation	
Borehole interval: Borehole diameter:			on (	mm/dd/y	y):		PERMIT & ID NUMBERS	(AS REOLITI	SED)	
fromtoft.		in.	Estima	ted yield: _	gpm		LUMIT & ID NUMBERS	(A3 REQUII	(LU)	
fromto ft.		in.	Water l	evel was:	ft. after	hours	DWR Application No.:_			
Casing height above land sur	rface:	in.	pumping gpm			KDHE / EPA Project Code:				
If casing height is less that	an 12 in.		Pump i	nstalled?	Yes No		Site Name:			
has a variance been appr		s No			. 10		KDHE UIC Class V For	•		
*variance not required for or environmental remed					ected? Yes No		County Permit: Yes			
Casing type:	mation wens		Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:		# of boreholes:	# of dewater	ng wells:	
Blank casing diameter:			LITHOL	OGIC LOG	 i					
Casing joints:			FROM	то	LITHOLOGY I	NTERVALS				
Weight: lbs	s/ft.									
Wall thickness or gauge										
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to	, ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material	:									
Screen / perforation opening	gs:		CONTRA	ACTOR'S	OR LANDOWNER:	CERTIFICATION	I			
Screen / perforation intervals			This w	ater well	was constructed	d reconstru	ucted pursuant to the	he stated wa	ater well	
Fromft. to	ft.						. I certify that			
Slot size unit _						•	well record was complete			
Fromft. to				•			wen record was complete			
Slot size unit _										
Gravel pack intervals:							under the auth	•	_	
Gravel pack not used:	Gravel size	in	-				ed and certified by the ele	ectronic sig	nature o	f the
From ft. to			design	ated pers	on at its submitt	al:	· · · · · · · · · · · · · · · · · · ·			
Gravel pack not used:		in	Send one	e copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of \$5	.00 for each c	onstructo	ed well.
From ft. to				Bureau			HEALTH AND ENVIRONME Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record	
Doc ID	1856521	
Well Owner	Marigail Thomas Trust	
Contractor	Hydro Resources Mid Continent, Inc. #145	

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	553	16	Welded	.250
583	593	16	Welded	.250
643	653	16	Welded	.250

Form	WWC5.2 - Water Well Record
Doc ID	1856521
Well Owner	Marigail Thomas Trust
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	34	sand,very fine,silty
34	50	sand,fine
50	57	sand,fine to coarse,gravelly
57	85	clay,sandy
85	95	sand,fine
95	175	clay,caliche stringers
175	194	sand,fine
194	213	clay
213	221	sand,fine,clayey,red
221	258	sand,fine
258	285	clay
285	299	sand,fine to coarse
299	320	clay,sandy
320	395	clay
395	401	sand,fine
401	420	clay
420	426	sand,fine
426	444	clay
444	460	clay,sandy
460	480	clay
480	552	clay,blue
552	562	sand,very fine,silty
562	583	sand,fine,clayey

Form	WWC5.2 - Water Well Record
Doc ID	1856521
Well Owner	Marigail Thomas Trust
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
583	592	clay,sandy
592	605	sand,fine to coarse
605	643	sand,fine to coarse,gravelly
643	654	clay,sandy,red
654	670	shale,slightly weathered,red