_ WELL ID_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL						Original R	ecor	d Correction	Change	e in We	ll Use
Latitude	Longitude		Sec	ction	Township	Ra	inge	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	unty	1		0	VV			
WATER WELL OWNER			WELL WA	,				NEAREST SOURCE OF PO	TENTIAL C	IMATIO	NATION
Name								Source:			
Business			COMPLET	TION .				Distance	Direction		
Dusiness								from well:	from wel	l:	
Address					ed well:		t.	Source			
			-	-	rater encountered:			description:			
Well location					2) ft.;			Source:			
well location					l) dry well		_	Distance from well:	Direction from wel	ı l:	
at owner's			Static wa	ter level i	n well: f	t.		Source			
address			measured below land surface on (mm/dd/yy):					description:			
CONSTRUCTION							-	No potential source	of contami	nation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):			_	within 100 feet.				
from to ft.		in.	Estimate	d viold:	gpm			PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromtoft.		in.			gpm ft. after	houre		DWR Application No.:			
			water ic	ci was	pumping			KDHE / EPA Project Co			
Casing height above land sur		in.	Pump in	stalled?	Yes No	8P ^m		Site Name:			
If casing height is less that has a variance been appro		s No	r		165 116		_	KDHE UIC Class V For			No
*variance not required for monitoring			Water well disinfected? Yes No					County Permit: Yes	No Permi	t ID:	
or environmental remediation wells			Date disi	nfected (1	mm/dd/yy):		_	Lease Name & Well #: _			
Casing type:Blank casing interval:	ft to		Aguifer.	if known:				# of boreholes:	# of dewater	ing wells:	
Blank casing diameter:		'	LITHOLO								
Casing joints:		1 1	FROM	TO	LITHOLOGY I	NTFRVALS					
Weight:lbs/			THOM		Emiozodiii	TERVALS					
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs/	ft.										
Wall thickness or gauge n		_									
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to											
Grout material:			COMMEN	ITS							
Screen / perforation material:											
Screen / perforation opening	s:		CONTRA	CTOR'S O	R LANDOWNERS	CERTIFICAT	TION				
Screen / perforation intervals:			This wa	ter well v	was constructed	d recor	nstru	cted pursuant to th	ne stated w	ater well	
Fromft. to	ft.		contrac	tor's lice	nse and was com	pleted on _		I certify that	this record	d is true	to
Slot size unit _			the best	of my k	nowledge and be	elief. This wa	ater w	vell record was complete	ed on		
From ft. to				•				<u>.</u>			
Slot size unit _								under the auth			
Gravel pack intervals:									•	_	
Gravel pack not used: Gravel size in			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:								
From ft. to								for your records. Fee of \$5.	00 for each	construct	ed well
Gravel pack not used:		in	ociia olie (Jopy to W				EALTH AND ENVIRONME		consti ucli	Lu WEII.
From ft. to	_ tt.			Bureau o				ackson St., Suite 420, Topel		2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1855524		
Well Owner	Jessica Zieg		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
0	4	topsoil,clayey
4	12	sand,coarse,silty
12	23	clay,clayey
23	30	sand,coarse,silty
30	48	clay
48	52	shale,unweathered
52	58	limestone,unweathered
58	60	shale,unweathered
60	63	limestone,unweathered
63	74	shale,unweathered
74	94	limestone,unweathered
94	129	shale,unweathered
129	131	limestone,unweathered
131	133	shale,unweathered
133	134	limestone,unweathered
134	153	shale,unweathered
153	166	limestone,unweathered
166	168	shale,unweathered
168	175	limestone,unweathered
175	195	shale,unweathered
195	201	limestone,unweathered
201	206	shale,unweathered
206	213	limestone,unweathered
213	214	shale,unweathered
	•	•

Form	WWC5.2 - Water Well Record		
Doc ID	1855524		
Well Owner	Jessica Zieg		
Contractor	Allen's Holdings and Investments D/B/A Evans Energy #1011		

Lithology

From	То	Lithology Intervals
214	233	limestone,unweathered
233	241	shale,unweathered
241	261	limestone,unweathered
261	265	shale,unweathered
265	267	limey shale,unweathered
267	271	shale,unweathered
271	278	limestone,unweathered
278	400	shale,unweathered