

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____ WELL ID _____
 Original Record Correction Change in Well Use

LOCATION OF WATER WELL

| | | | | | | | | | | | | | |
|----------|--|-----------|--|---------|--|----------|--|-------|--------|----------|-----|-----|-----|
| Latitude | | Longitude | | Section | | Township | | Range | E W | Fraction | 1/4 | 1/4 | 1/4 |
| Datum | | Elevation | | County | | | | | | | | | |

WATER WELL OWNER

| | |
|-------------------------------------|--|
| Name | |
| Business | |
| Address | |
| Well location at owner's address | |

CONSTRUCTION

| | |
|---|---------------------------------|
| Borehole interval: from _____ to _____ ft. | Borehole diameter: _____ in. |
| from _____ to _____ ft. | _____ in. |
| Casing height above land surface: _____ in. | |
| If casing height is less than 12 in. has a variance been approved?* Yes No | |
| *variance not required for monitoring or environmental remediation wells | |
| Casing type: _____ | |
| Blank casing interval: _____ ft. to _____ ft. | |
| Blank casing diameter: _____ in. | |
| Casing joints: _____ | |
| Weight: _____ lbs/ft. | |
| Wall thickness or gauge no.: _____ | |
| Blank casing interval: _____ ft. to _____ ft. | |
| Blank casing diameter: _____ in. | |
| Casing joints: _____ | |
| Weight: _____ lbs/ft. | |
| Wall thickness or gauge no.: _____ | |
| Grout interval: _____ ft. to _____ ft. | |
| Grout material: _____ | |
| Grout interval: _____ ft. to _____ ft. | |
| Grout material: _____ | |
| Screen / perforation material: _____ | |
| Screen / perforation openings: _____ | |
| Screen / perforation intervals: | |
| From _____ ft. to _____ ft. | |
| Slot size _____ unit _____ | |
| From _____ ft. to _____ ft. | |
| Slot size _____ unit _____ | |
| Gravel pack intervals: | |
| Gravel pack not used: Gravel size _____ in | |
| From _____ ft. to _____ ft. | |
| Gravel pack not used: Gravel size _____ in | |
| From _____ ft. to _____ ft. | |

WELL WATER USE

| | |
|---|--|
| COMPLETION | |
| Depth of completed well: _____ ft. | |
| Depth(s) groundwater encountered: | |
| (1) _____ ft.; (2) _____ ft. | |
| (3) _____ ft.; (4) dry well | |
| Static water level in well: _____ ft. | |
| measured below land surface on (mm/dd/yy): _____ | |
| measured above land surface on (mm/dd/yy): _____ | |
| Estimated yield: _____ gpm | |
| Water level was: _____ ft. after _____ hours pumping _____ gpm | |
| Pump installed? Yes No | |
| Water well disinfected? Yes No | |
| Date disinfected (mm/dd/yy): _____ | |
| Aquifer, if known: _____ | |

NEAREST SOURCE OF POTENTIAL CONTAMINATION

| | |
|--|----------------------------|
| Source: _____ | |
| Distance from well: _____ | Direction from well: _____ |
| Source description: _____ | |
| Source: _____ | |
| Distance from well: _____ | Direction from well: _____ |
| Source description: _____ | |
| No potential source of contamination within 100 feet. | |

PERMIT & ID NUMBERS (AS REQUIRED)

| |
|--|
| DWR Application No.: _____ |
| KDHE / EPA Project Code: _____ |
| Site Name: _____ |
| KDHE UIC Class V Form Completed: Yes No |
| County Permit: Yes No Permit ID: _____ |
| Lease Name & Well #: _____ |
| # of boreholes: _____ # of dewatering wells: _____ |

LITHOLOGIC LOG

| FROM | TO | LITHOLOGY INTERVALS |
|------|----|---------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

COMMENTS

| |
|-------|
| _____ |
|-------|

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed/reconstructed pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

| | |
|------------|----------------------------|
| Form | WWC5.2 - Water Well Record |
| Doc ID | 1854879 |
| Well Owner | Wilhelm Wiebe |
| Contractor | GT Water Well Drilling LLC |

Casing

| From | To | Casing Diameter | Casing Joint | Casing Weight | Wall Thickness or Gauge Number |
|------|-----|-----------------|--------------|---------------|--------------------------------|
| 0 | 320 | 5 | Glued | | sdr21 |
| 340 | 370 | 5 | Glued | | sdr21 |
| 390 | 410 | 5 | Glued | | sdr21 |
| 430 | 450 | 5 | Glued | | sdr21 |

| | |
|------------|----------------------------|
| Form | WWC5.2 - Water Well Record |
| Doc ID | 1854879 |
| Well Owner | Wilhelm Wiebe |
| Contractor | GT Water Well Drilling LLC |

Lithology

| From | To | Lithology Intervals |
|------|-----|----------------------------------|
| 0 | 1 | topsoil |
| 1 | 30 | sand,fine |
| 30 | 50 | sand,fine to medium |
| 50 | 140 | sand,medium to coarse |
| 140 | 160 | sand & gravel,medium |
| 160 | 240 | clay,sandy |
| 240 | 275 | sand,fine to medium,clayey |
| 275 | 290 | sand,fine to medium |
| 290 | 295 | clay |
| 295 | 320 | sand,medium |
| 320 | 350 | clay,sandy |
| 350 | 388 | sand,medium |
| 388 | 392 | clay,sandy |
| 392 | 432 | sand,fine to medium |
| 432 | 450 | clay,sandy |
| 450 | 485 | sand,fine to medium,clay streaks |
| 485 | 490 | clay,red,shale |

| | |
|------------|----------------------------|
| Form | WWC5.2 - Water Well Record |
| Doc ID | 1854879 |
| Well Owner | Wilhelm Wiebe |
| Contractor | GT Water Well Drilling LLC |

Screen and Gravel

| From | To | Slot Size | Slot Size Units | Gravel Pack Used | Gravel Pack From | Gravel Pack To | Gravel Size |
|------|-----|-----------|-----------------|------------------|------------------|----------------|-------------|
| 320 | 340 | | | Yes | 27 | 370 | |
| 370 | 390 | | | Yes | 370 | 410 | |
| 410 | 430 | | | Yes | 410 | 450 | |
| 450 | 490 | | | Yes | 450 | 490 | |