

Form	ACO1 - Well Completion
Operator	S & K Oil Production, Inc.
Well Name	GEORGE I 4
Doc ID	1735310

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	9.875	7	6	20	one	6	0
Production	5.875	2.875	6	618	one	70	0

McGOWN

DRILLING, INC.

Mound City, KS
620.224.7406

Well #				Casing			
S&K Oil Production George I4				Surface		Longstring	
API #:	15-011-24751	S-T-R:	17-25-22E	Size:	7 "	Size:	2 7/8 "
County:	Bourbon	Date:	8/3/2023	Tally:	21.8 '	Tally:	618.6 '
				Cement:	6 sx	Bit:	5 7/8 "
				Bit:	9 7/8 "	Date:	8/8/2023
Top	Base	Formation		Top	Base	Formation	
0	2	soil					
2	7	lime					
7	29	shale					
29	34	lime					
34	37	shale					
37	41	lime					
41	112	shale					
112	114	lime					
114	123	shale					
123	125	red bed					
125	133	shale					
133	134	lime					
134	137	shale					
137	146	lime					
146	147	shale					
147	155	lime					
155	229	shale					
229	254	lime					
254	285	shale					
285	288	lime					
288	298	shale					
#REF!							
298	311	lime					
311	318	shale					
318	323	lime	ft scott				
323	340	shale					
340	347	samd					
347	401	sandy shale	slight odor in top 2'				
401	402	lime					
402	416	shale					
416	418	lime					
418	438	shale					
438	419	lime					
419	564	shale					
564	567	sandy shale					
567	580	sand					
580		sandy shale	fair odor in top 3'				
Total Depth:				622			

Cemented by S&K Oil Prod
70 Sxs.

Float Equipment

Qty	Size	
1	2 7/8	Float Shoe
3	2 7/8	Centralizers
1	2 7/8	Casing clamp

Sand / Core Detail

Core #1:		Core #2:
Core #3:		Core #4:
340	342	good odor,good bleed, solid sand
342	344	good odor,heavy bleed,solid sad
344	347	good odor,fair bleed,broken sand
564	567	slight odor,no bleed,blk sand
567	568	fair odor,rainbow to pit
568	570	good odor, fair bleed,
570	576	good odor, good bleed
576	580	good odor, heavy bleed