WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

NATER WELL RE	CORD (W	VC-5)			KOLAR D	OC ID	WELL ID	
OCATION OF WATER WE	:11			Or	iginal Record	d Correction	Change in Well	Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1/2
Datum	Elevation		County	-		***		
ATER WELL OWNER		WI	ELL WATER USE			NEAREST SOURCE OF P	OTENTIAL CONTAMINA	TIC
Name								
Business			MPLETION					
Justificss						from well:	Direction from well:	
Address				ed well:	ft.	Source		
				vater encountered:		description:		_
Well location			ft.; (2			Source:		
vven location			s) ft.; (4			Distance from well:	Direction from well:	
at owner's		St	tatic water level in	n well: ft.		Source		
address			measured below on (mm/dd/yy			description:		
ONSTRUCTION	Borehole dian		measured abov on (mm/dd/yy	ve land surface		No potential source within 100 feet.	e of contamination	
Borehole interval:	Borenole dian					PERMIT & ID NUMBER	S (AS REQUIRED)	
fromto ft.			stimated yield: _			DIVID 4 1: M		
fromto ft.		in \ \ \ \ \	Vater level was: _	ft. after				
Casing height above land s	surface:			pumping	gpm		Code:	
If casing height is less t			ump installed?	Yes No		Site Name:		
has a variance been ap *variance not required	-	No W	Vater well disinfe	cted? Yes No			orm Completed: Yes	
or environmental rem				mm/dd/yy):		1	No Permit ID:	
Casing type:							# of dewatering wells:	
Blank casing interval:	ft. to	ft. A	quifer, if known:			# of borelioles.	# of dewatering wells:	
Blank casing diameter: _	in.	LIT	HOLOGIC LOG					
Casing joints:		F	ROM TO	LITHOLOGY INT	ERVALS			
Weight:l	lbs/ft.							
Wall thickness or gaug		_						
Blank casing interval:		ft.						
Blank casing diameter: _	in.							
Casing joints:								
•	lbs/ft.							
Wall thickness or gaug	ge no.:							
Grout interval: ft.	toft.							
Grout material:								
Grout interval: ft.	toft.							
Grout material:			MMENTS					
Screen / perforation materi	ial:							
Screen / perforation openi	ngs:	co	NTRACTOR'S O	R LANDOWNERS CI	ERTIFICATION			
Screen / perforation interva	als:	Т	his water well v	was constructed	reconstruc	cted pursuant to	the stated water well	
Fromft. to	ft.	C	ontractor's lice	nse and was comple	eted on	I certify tha	t this record is true to	,
Slot size uni		tl	ne best of my k	nowledge and belie	f. This water w	vell record was complet	ted on	
From ft. to	ft.		· ·	-		1		
Slot size uni	t					under the aut		_, ed
Gravel pack intervals:							· · · · · · · · · · · · · · · · · · ·	
Gravel pack not used:	Gravel size	in			2(J) and signed	l and certified by the el	lectronic signature of	ше
From ft. to	ft.			on at its submittal:_				
Gravel pack not used:	Gravel size _	in Sei	nd one copy to W	ATER WELL OWNE	R and retain one	for your records. Fee of \$5	5.00 for each constructed	wel

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1858883			
Well Owner	Reiss Farms LLC			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	275	16	Welded	.250
325	354	16	Welded	.250
414	436	16	Welded	.250
506	526	16	Welded	.250

Form	WWC5.2 - Water Well Record			
Doc ID	1858883			
Well Owner	Reiss Farms LLC			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	57	clay,caliche stringers
57	66	sand,fine to medium
66	75	clay,white
75	96	clay,brown
96	118	sand,fine to coarse,gravelly
118	140	clay,sandy
140	153	sand,fine
153	168	clay
168	325	sand,fine to coarse
325	355	clay,blue
355	380	sand,fine to medium
380	414	sand,fine to coarse,clayey
414	437	clay,brown
437	456	sand,fine
456	471	clay,sandy
471	497	sand,fine
497	506	sandstone,moderately weathered,brown
506	526	shale,slightly weathered,red

Form	WWC5.2 - Water Well Record			
Doc ID	1858883			
Well Owner	Reiss Farms LLC			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
275	325	.08	inches	Yes	20	330	.25
354	414	.05	inches	Yes	330	526	.125
436	506	.05	inches	No			