WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	orrection	Chang	ge in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County	J.			'			
WATER WELL OWNER			WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name							Source:				
Business			COMP	LETION							
Dusilless							from wel	l:	from we	:ll:	
Address			Depth of completed well:ft.				Source				
] -	-	water encountered	:	descripti				
747 II 1					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance from wel	ll:	Directio	n sll-	
at owner's			Static	water level	in well:	ft.	Source		nom we		
address					ow land surface		descripti	on:			
CONSTRUCTION				(mm/dd/y	_		No no	otential sour	re of contami	ination	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):			No potential source of contamination within 100 feet.					
	porenole dia						PERMIT 8	ID NUMBER	RS (AS REQU	IRED)	
fromto ft.		in.			gpm			1			
fromto ft.		in.	Water	level was:	ft. after	hours	-	oplication No			
Casing height above land surface:in.			pumpinggpm				I	EPA Project			
If casing height is less than 12 in.			Pump	installed?	Yes No		I	ne:			
has a variance been appro		s No	Water	well disinfe	ected? Yes N	io		JIC Class V F	•		
*variance not required for environmental remed					(mm/dd/yy):	I	1	Permit: Yes			
Casing type:			Date	instructed (I	nme & Well #:			
Blank casing interval:	ft. to	ft.	Aquif	er, if known	1:		# of bore	holes:	# of dewate	ring wells:	
Blank casing diameter:	in.		LITHO	LOGIC LOG	i						
Casing joints:			FRO	и то	LITHOLOGY	INTERVALS					
Weight:lbs/	ft.										
Wall thickness or gauge n	o.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs/	ft.										
Wall thickness or gauge n	0.:										
Grout interval:ft. to	ft										
Grout material:											
Grout interval:ft. to											
Grout material:			COMM	IENTS							
Screen / perforation material:											
Screen / perforation openings			CONTI	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation intervals:					was constructe			pursuant to	the stated v	water well	
From ft. to								•			
Slot size unit _					ense and was cor	_		-			
From ft. to					knowledge and b						
Slot size unit _					ness name of						
Gravel pack intervals:			Kans	as Water V	Vell Contractor's	License No	u	ınder the au	thority of th	ie designa	ated
Gravel pack not used:	Graval circ	,	perso	n as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the	electronic si	gnature o	f the
Gravel pack not used: From ft. to		in	desig	nated pers	son at its submitt	al:					
					VATER WELL OW		ne for vour re	cords. Fee of s	5.00 for each	constructe	ed wel
Gravel pack not used:		in				EPARTMENT OF	•				
From ft. to	_ n.			Bureau	of Water, Geology					2-1367	

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 July 3, 2025

RE: Monitor Well Elevation Survey 7155 SE Hwy 66, Riverton, Kansas

Proj. 25-00W Van's Garage & Service Station U3-011-15266

Bench Mark: Square cut on North center of concrete light base on East side of entrance to property. North 78 West 4519 (from SE Cor. Sec. 17-34-25E) Elev: 834.87 MW-9 SW1/4,SE1/4,SW1/4,SW1/4 833.89 North 211 rim Lat = 37.07542Long = 94.70122top pipe 833.62 West 4364 MW-10 829.12 South 105 NW1/4,NE1/4,NW1/4,NW1/4 (Sec. 20-34-25E) rim 828.77 West 4414 Lat = 37.07455Long = 94.70140top pipe NW1/4,NE1/4,NW1/4,NW1/4 (Sec. 20-34-25E) 829.80 South 103 MW-11 rim 829.57 West 4513 Lat = 37.07456Long = 94.70174top pipe NW1/4,NE1/4,NW1/4,NW1/4 (Sec. 20-34-25E) South 100 MW-12 rim 831.13 West 4615 Lat = 37.07457Long = 94.70209top pipe 830.77

Lat & Long derived from Baxter Springs 7.5'Quad Map NAD 29

Elevation derived from existing project. NAVD 1988.

Livy 3, 5

THE SUH

