KOLAR Document ID: 1864890

Notice: *Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.*

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 32044
Name: Trimble & Maclaskey Oil LLC
Address 1: 110 SOUTH ST
Address 2: PO BOX 171
City: GRIDLEY State: KS Zip: 66852 + 0171
Contact Person: Randall Trimble
Phone: (620) 836-2000

Type of Well: *(Check one)* ☑ Oil Well ☐ Gas Well ☐ OG ☐ D&A ☐ Cathodic
☐ Water Supply Well ☐ Other: ☐ SWD Permit #:
☐ ENHR Permit #: ☐ Gas Storage Permit #:
Is ACO-1 filed? ☐ Yes ☑ No If not, is well log attached? ☐ Yes ☐ No

Producing Formation(s): List All *(If needed attach another sheet)*
Depth to Top: Bottom: T.D.
Depth to Top: Bottom: T.D.
Depth to Top: Bottom: T.D.

API No. 15 - 15-073-19767-00-00
Spot Description:
S2 - SE - NE - SE Sec. 22 Twp. 24 S. R. 12 ☑ East ☐ West
1350 Feet from ☐ North / ☑ South Line of Section
330 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
County: Greenwood
Lease Name: TEXAS JOHNSON Well #: 14
Date Well Completed:
The plugging proposal was approved on: *(Date)*
by: *(KCC **District** Agent's Name)*
Plugging Commenced: 9/29/2025
Plugging Completed: 9/29/2025

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		*Casing Record (Surface, Conductor & Production)*			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

15 sacks cement at 1675'
25 sacks cement at 750'
185 sacks cement from 250' to surface inside and outside of casing

Plugging Contractor License #: 32044 Name: Trimble & Maclaskey Oil LLC
Address 1: 110 SOUTH ST Address 2: PO BOX 171
City: GRIDLEY State: KS Zip: 66852 + 0171
Phone: (620) 836-2000
Name of Party Responsible for Plugging Fees: Randall Trimble
State of County, , ss.
(Print Name) ☐ Employee of Operator or ☐ Operator on above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

CEMENT TREATMENT REPORT

Customer:	Trimble Maclaskey Oil LLC	Well:	Texas Johnson #14	Ticket:	EP 19062
City, State:		County:	Greenwood KS	Date:	9/29/2025
Field Rep:		S-T-R:		Service:	PTA

Downhole Information	
Hole Size:	in
Hole Depth:	ft
Casing Size:	in
Casing Depth:	ft
Tubing / Liner:	in
Depth:	ft
Tool / Packer:	
Tool Depth:	ft
Displacement:	bbls

Calculated Slurry - Lead	
Blend:	
Weight:	ppg
Water / Sx:	gal / sx
Yield:	ft^3 / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	bbls
Excess:	
Total Slurry:	bbls
Total Sacks:	sx

Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sx:	gal / sx
Yield:	ft^3 / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	0 sx

TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	REMARKS
			-	-	Safety meeting.
				-	Plug well as follows:
				-	Spot 15 sacks at 1675'.
				-	Gel spacer to 750'.
				-	Spot 25 sacks at 750'.
				-	Gel spacer to 250'.
				-	Cement from 250 to surface with 185 sacks.
				-	Good cement returns inside and outside of casing.
				-	Well standing full.
				-	Job complete.
				-	Tear down.
					Note: Wait 1.5 hours on middle plug at 750 to let cement set up. Tag with hose reel at 680'.

	CREW	UNIT
Cementer:	Russell McCoy	126
Pump Operator:	Alan Mead	1201
Bulk #1	Trey McCoy	1210
Bulk #2:	Richard	1213

SUMMARY		
Average Rate	Average Pressure	Total Fluid
0.0 bpm	- psi	- bbls

ftv: 16-2022/08/12
mplv: 513-2025/08/26

MIDWEST SURVEYS
LOGGING • PERFORATING • CONSULTING • M.I.T. SERVICES
P.O. Box 68 • Osawatomie, KS 66064
Phone 913-755-2128 • Fax 913-755-6533

Perforation Record

Company: TRIMBLE & MACLASKEY OIL, LLC

Lease/Field: TEXAS JOHNSON LEASE

Well: # 14

County, State: GREENWOOD COUNTY, KANSAS

Service Order #: 42293

Purchase Order #: N/A

Date: 7/9/2025

Perforated @: 249.5 TO 250.0
749.5 TO 750.0
PERFORATED TO SQUEEZE CEMENT TO PLUG WELL

Type of Jet, Gun or Charge 3 1/2" ALUM STRIP JETS

Number of Jets, Guns or Charges: FOUR (4) PERFORATIONS

Casing Size: 5.5"