WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WEL	L					Orio	ginal Recor	d Correction	Chang	e in Wel	l Use
Latitude	Longitude		Sec	ction	Townsh	ip	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	unty				VV			
WATER WELL OWNER		V	VELL WA	-				NEAREST SOURCE OF PO	OTENTIAL C	ONTAMIN	IATION
Name								Source:			
Business			OMPLET	TION							
Dusiness								from well:	from wel	l:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					Source description:			
			(1) ft.; (2) ft.;					Source:			
Well location		-	(3) ft.; (4) dry well					Distance from well:		n l:	
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:			
CONSTRUCTION			measi	ured abo	ve land surface			No potential source within 100 feet.	of contami	nation	
Borehole interval:	Borehole dia		on (m	nm/dd/y	у):			PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.				_	gpm						
fromto ftin.			Water level was: ft. afterhours					DWR Application No.:			
Casing height above land sur		.	. 11 . 16	pumping		_ gpm	KDHE / EPA Project Code:				
If casing height is less the has a variance been appr	s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not required fo		Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):					Lease Name & Well #:			
Casing type:	G .		Aquifer, if known:					# of boreholes:			
Blank casing interval:		—" L									
Blank casing diameter:		-	ITHOLOG FROM	TO	LITHOLOG	VINTER	DVALC				
Casing joints: lbs/ft.			FROIN	10	LITHOLOG	II IIVIE	TVALS				
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge	no.:	_									
Grout interval: ft. to	ft.										
Grout material:			_								
Grout interval:ft. to											
Grout material:	OMMEN	ITS									
Screen / perforation material											
Screen / perforation opening			ONTRAC	CTOR'S	OR LANDOWN	ERS CER	RTIFICATION				
Screen / perforation intervals							reconstru	cted pursuant to t	he stated w	ater well	
Fromft. to	1										
	Slot size unit the best of my knowledge and belief. This water well record was completed on										
From ft to ft							_				
Slot size unit											
Gravel pack intervals:				Kansas Water Well Contractor's License No under the authority of the designated							
Gravel pack not used: Gravel size in							t the				
From ft. to	ft.										
Gravel pack not used:	Gravel size _	in S	end one o	copy to V				for your records. Fee of \$5 EALTH AND ENVIRONMI		constructe	ed well.

Form	WWC5.2 - Water Well Record		
Doc ID	1860493		
Well Owner	KDHE BER		
Contractor	UES Exploration #531		

Lithology

From	То	Lithology Intervals
0	1	topsoil
1	8	clay-lean,dark,brown,dry,stiff
8	15	shale,highly weathered,dark,brown,very stiff
15	30	limestone,highly weathered,white,chalky, laminated
30	40	shale,highly weathered,light,brown,soft,fis sile
40	45	shale,highly weathered,gray,stiff, laminated
45	50	sandstone,highly weathered,hard,large round grain, alluvial

