_ WELL ID_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WELI	L				Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County			VV			
WATER WELL OWNER		WE	LL WATER US	SE		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	NATION
Name						Source:			
Business		COI	MPLETION			Distance	Direction		
				atad wall:	6	from well:	from well:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:			Source description:			
				(2) ft.;		Source:			
Well location			(3) ft.; (4) dry well				- ·		
			Static water level in well: ft.			from well:	from well:	:	
at owner's address			measured below land surface			Source description:			
CONSTRUCTION			on (mm/dd/	yy): oove land surface		No potential source	of contamin	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/			within 100 feet.			
fromto ft.		in. Est	timated vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	RED)	
fromtoft.			•	t. after	hours	DWR Application No.:_			
Casing height above land sur			pumping gpm			KDHE / EPA Project Code:			
If casing height is less that			mp installed	Yes No		Site Name:			
has a variance been appr	oved?* Ye	s No	11 14 4			KDHE UIC Class V For	•		
*variance not required for			Water well disinfected? Yes No			County Permit: Yes No Permit ID:			
or environmental remediation wells Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #: _			
Blank casing interval:	ft. to	ft. Aq	uifer, if know	n:		# of boreholes:	# of dewateri	ng wells:	
Blank casing diameter:	in.	LITH	HOLOGIC LO	G					
Casing joints:		FF	ком то	LITHOLOGY	NTERVALS				
Weight:lbs	s/ft.								
Wall thickness or gauge									
Blank casing interval:		ft.							
Blank casing diameter:									
Casing joints:									
Weight:lbs									
Wall thickness or gauge									
Grout interval: ft. to									
Grout material:									
Grout interval: ft. to		cor	MMENTS						
Grout material:									
Screen / perforation material	:								
Screen / perforation opening	 ζs:	COI	NTRACTOR'S	OR LANDOWNERS	CERTIFICATION	<u> </u>			
Screen / perforation intervals			is water we	ll was constructed	d reconstru	icted pursuant to the	he stated wa	iter well	
Fromft. to	_ft.		This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to						
Slot size unit _		1 1			•	•			
From ft. to	_ft.		the best of my knowledge and belief. This water well record was completed on under the business name of,						
Slot size unit _			Kansas Water Well Contractor's License No under the authority of the designated						
Gravel pack intervals:		ne							
Gravel pack not used:		in -	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:						
From ft. to						a for your records. Eas of or	00 for as ab -	onetwo of	ad virall
Gravel pack not used:	Gravel size _	in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT						

Form	WWC5.2 - Water Well Record
Doc ID	1854823
Well Owner	Atten: Annette & Kent Reece
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	160	5	Glued	SDR - 21
180	230	5	Glued	SDR - 17
250	260	5	Glued	SDR - 17

Form	WWC5.2 - Water Well Record
Doc ID	1854823
Well Owner	Atten: Annette & Kent Reece
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	4	clay,brown
4	17	shaley limestone,slightly weathered,yellowish
17	97	shale,slightly weathered,gray
97	104	other,slightly weathered,flat, hard rock
104	135	shale,slightly weathered,gray
135	146	shale,slightly weathered,white
146	160	sandstone,slightly weathered,& gray shale
160	170	sandstone,slightly weathered,tan
170	178	sandstone,slightly weathered,tan,soft
178	235	shale,slightly weathered,gray
235	250	sandstone,slightly weathered,tan
250	260	shale,slightly weathered,gray,hard