KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WELI	L				Orio	ginal Recor	d Correction	Change in \	Well Us	
Latitude	Longitude		Sec	ction	Township	Range	E W Fraction	1/4 1/4	1	
Datum Elevation			Co	unty						
WATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF PO	TENTIAL CONTA	MINATIO	
Name							Source:			
Business			COMPLET	TION .			Distance	Direction		
Dusiness							from well:	from well:		
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:				Source description:			
			(1) ft.; (2) ft.;				Source:			
Well location			(3)ft.; (4) dry well				Distance Direction from well: from well:			
at owner's address			Static water level in well: ft.  measured below land surface				Source description:			
CONSTRUCTION				nm/dd/yy			No potential source	of contamination	1	
Borehole interval:	Borehole dia	meter:	1	ured abov nm/dd/yy	ve land surface '):		within 100 feet.			
fromto ft.		in.	Estimate	d vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)		
fromto ft.					ft. after	hours	DWR Application No.:			
Casing height above land sur				_	pumping		KDHE / EPA Project Code:			
If casing height is less that			Pump in	stalled?	Yes No	_ 01	Site Name:			
has a variance been appr		s No	- 1				KDHE UIC Class V Form Completed: Yes N			
*variance not required fo	or monitoring		Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
or environmental remed	diation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:			
Casing type:			4	.61			# of boreholes:			
Blank casing interval:		ft.	Aquiter,	if known:	!			——————————————————————————————————————	CHO	
Blank casing diameter:			LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTER	RVALS				
Weight:lbs										
Wall thickness or gauge										
Blank casing interval:		ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. to	ft.									
Grout material:										
Grout interval: ft. to										
Grout material:			COMMEN	ITS						
Orout Mutorius										
Screen / perforation material:	:									
Screen / perforation opening			CONTRAC	CTOR'S C	OR LANDOWNERS CER	RTIFICATION				
Screen / perforation intervals					was constructed	reconstru	cted nursuant to the	he stated water v	well	
From ft. to							•			
Slot size unit _					_		I certify that			
From ft. to				-	=		vell record was complete			
Slot size unit _										
Gravel pack intervals:			Kansas	Water W	Vell Contractor's Lice	nse No	under the auth	ority of the des	ignated	
-	Gravel cize	:	person	as define	ed in K.A.R. 28-30-2(	j) and signed	d and certified by the ele	ctronic signatu	re of th	
Gravel pack not used: Gravel size in From ft. to ft.			designated person at its submittal:							
Gravel pack not used:		in	Send one	copy to W	ATER WELL OWNER	and retain one	for your records. Fee of \$5.	.00 for each constr	ructed w	
From ft. to		KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT  Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367								

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1852516			
Well Owner	Dustin Hattrup			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	70	5	Glued	SDR-21
90	95	5	Glued	SDR-21
115	120	5	Glued	SDR-21

Form	WWC5.2 - Water Well Record			
Doc ID	1852516			
Well Owner	Dustin Hattrup			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Lithology

From	То	Lithology Intervals
0	3	topsoil
3	45	clay,tannish,brown
45	75	shale,slightly weathered,light,gray
75	90	sandstone,slightly weathered
90	95	shale,slightly weathered,yellowish,gray
95	115	sandstone,slightly weathered
115	120	shale,slightly weathered,yellowish
120	140	sandstone,slightly weathered,gray,Gray shale streaks

Form	WWC5.2 - Water Well Record			
Doc ID	1852516			
Well Owner	Dustin Hattrup			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
70	90		Yes	20	140	
95	115		No			
120	140		No			