WATER WELL RECORD (WWC-5)

WATER WELL RE	CORD (WWC-5	5)		KOLAR D	OC ID	WELL ID	
LOCATION OF WATER WE	:LL		•	Original Recor	d Correction	Change in W	/ell Use
Latitude	Longitude	Section	Township	Range	E W Fraction	1/4 1/4	1/4
Datum	Elevation	County	,		***		
WATER WELL OWNER		WELL WATER			NEAREST SOURCE OF P	OTENTIAL CONTAN	/INATIO
Name					Source:		
Business		COMPLETION	 I		Distance from well:		
		Depth of com	npleted well:	ft		_ from well:	
Address			undwater encountered:	1t.	Source description:		
			.; (2) ft.;		Source:		
Well location			; (4) dry well		l		
		Static water le	evel in well: ft	:.	Distance from well:	_ from well:	
at owner's address			below land surface		Source description:		
CONSTRUCTION		on (mm/c			No potential source	of contamination	
Borehole interval:	Borehole diameter:	measured on (mm/c	above land surface ld/yy):		within 100 feet.		
from to ft.	in.				PERMIT & ID NUMBERS	5 (AS REQUIRED)	
fromtoft.	in.	1 1	eld: gpm ras: ft. after	houre	DWR Application No.:		
			pumping		KDHE / EPA Project C		
Casing height above land s		Pump installe	ed? Yes No	SF	Site Name:		
If casing height is less t has a variance been ap			160 110		KDHE UIC Class V For		es No
*variance not required			sinfected? Yes No		County Permit: Yes	No Permit ID: _	
or environmental rem	ediation wells	Date disinfec	ted (mm/dd/yy):		Lease Name & Well #:		
Casing type:	ft to ft	Aquifer, if kn	own:		# of boreholes:	# of dewatering well	ls:
Blank casing diameter:		LITHOLOGIC					
Casing joints:			TO LITHOLOGY IN	NTFRVAI S			
Weight:l		1.110.111	202001				
Wall thickness or gaug							
Blank casing interval:							
Blank casing diameter:							-
Casing joints:							
Weight:l	bs/ft.						
Wall thickness or gaug	e no.:						
Grout interval: ft.	to ft.						
Grout material:							
Grout interval:ft.							
Grout material:		COMMENTS					
Screen / perforation materi		-					
Screen / perforation openi		-	R'S OR LANDOWNERS				
Screen / perforation interva	als:	This water v	well was constructed	l reconstru	cted pursuant to t	the stated water we	ell
Fromft. to		contractor's	license and was com	pleted on	I certify tha	t this record is tru	ie to
Slot size uni		the best of r	ny knowledge and be	elief. This water w	vell record was complet	ed on	
From ft. to		under the b	usiness name of				,
Slot size uni	t	Kansas Wat	er Well Contractor's I	License No	under the aut	hority of the desig	gnated
Gravel pack intervals:		nerson as d			d and certified by the el		
	Gravel size in	-	person at its submitta		•		
From ft. to					for your records. Fee of \$5	5 00 for each constru	icted wel
	Gravel size in	осна оне сору			EALTH AND ENVIRONM		cicu WCI
From ft. to	ft.	Bur			ackson St., Suite 420, Tope		

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1850982
Well Owner	WCB Trust
Contractor	Rosencrantz-Bemis Ent., Inc.

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	70	5	Glued	SDR - 21
80	100	5	Glued	SDR - 21
110	150	5	Glued	SDR - 21
170	180	5	Glued	SDR - 21

Form	WWC5.2 - Water Well Record
Doc ID	1850982
Well Owner	WCB Trust
Contractor	Rosencrantz-Bemis Ent., Inc.

Grout

From	То	Grout Material
0	20	Bentonite
90	95	Bentonite
145	150	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1850982
Well Owner	WCB Trust
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	25	clay,brown
25	35	shale,slightly weathered,yellowish,w/ rock
35	50	shale,slightly weathered,black
50	70	shale,slightly weathered,white
70	80	sandstone,slightly weathered,tan,w/ small shale streaks
80	101	shale,slightly weathered,white
101	155	shale,slightly weathered,clayey,red
155	167	sandstone,slightly weathered,tan
167	180	shale,slightly weathered,clayey,red

Form	WWC5.2 - Water Well Record
Doc ID	1850982
Well Owner	WCB Trust
Contractor	Rosencrantz-Bemis Ent., Inc.

Screen and Gravel

From	То			Gravel Pack From		Gravel Size
70	80		Yes	20	90	
100	110		Yes	90	145	
150	170		Yes	150	180	