_ WELL ID_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WELI	L				Original Reco	rd Correction	Change	in We	ll Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County			VV			
WATER WELL OWNER		WE	LL WATER US	SE		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	NATION
Name						Source:			
Business		COI	MPLETION			Distance	Direction		
				atad wall:	6	from well:	from well:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:			Source description:			
			(1) ft.; (2) ft.;			Source:			
Well location			(3) ft.; (4) dry well				·		
			Static water level in well: ft.			from well:	from well:	:	
at owner's address			measured below land surface			Source description:			
CONSTRUCTION			on (mm/dd/			No potential source	of contamin	ation	
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):			within 100 feet.			
fromto ft.		in. Est	Estimated yield: gpm			PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.			Water level was: ft. after hours			DWR Application No.:			
Casing height above land sur			pumping gpm			KDHE / EPA Project Code:			
If casing height is less that			mp installed	Yes No		Site Name:			
has a variance been appr	oved?* Ye	s No	11 14 4			KDHE UIC Class V For	•		
*variance not required for or environmental remed			Water well disinfected? Yes No			County Permit: Yes No Permit ID:			
Casing type:			Date disinfected (mm/dd/yy):			Lease Name & Well #: _			
Blank casing interval:	ft. to	ft. Aq	Aquifer, if known:			# of boreholes:	# of dewateri	ng wells:	
Blank casing diameter:	in.	LITH	HOLOGIC LO	G					
Casing joints:		FF	ком то	LITHOLOGY	NTERVALS				
Weight:lbs	s/ft.								
Wall thickness or gauge									
Blank casing interval:	ft.								
Blank casing diameter:									
Casing joints:									
Weight:lbs									
Wall thickness or gauge									
Grout interval: ft. to									
Grout material:									
Grout interval: ft. to		cor	MMENTS						
Grout material:									
Screen / perforation material	:								
Screen / perforation opening	 ζs:	COI	NTRACTOR'S	OR LANDOWNERS	CERTIFICATION	<u> </u>			
Screen / perforation intervals			is water we	ll was constructed	d reconstru	icted pursuant to tl	he stated wa	iter well	
Fromft. to	1								
Slot size unit _					•	•			
From ft. to	the best of my knowledge and belief. This water well record was completed on ft. toft. toft. under the business name of								
Slot size unit Kansas Water Well Contractor's License No under the authority of the designated and the designation of the designat							, ated		
Gravel pack intervals: person as defined in K A R 28-30-2(i) and signed and certified by the electr									
Gravei pack not used: Gravei sizein						,1 tile			
From ft. to									
Gravel pack not used:	Gravel size _	in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT							

Form	WWC5.2 - Water Well Record		
Doc ID	1858891		
Well Owner	Central Valley Ag Cooperative		
Contractor	UES Exploration #531		

Lithology

From	То	Lithology Intervals
0	.5	topsoil
.5	5	clay,light,brown,slightly moist,soft
5	10	clay,dark,brown,slightly moist,soft
10	15	clay,light,brown,very moist,soft
15	25	clay-lean,light,brown,very moist,soft
25	29	sand,fine to medium,light,brown,wet,soft,p oorly graded, sub-angular, well sorted
29	30	sand & gravel,medium,light,brown,we t,soft,poor sorting



UES

DATE: 09/09/2025 PROJECT MANAGER: A24124.00061.000

DRAWN BY: CM

PROJECT MANAGER: RB

Central Valley Ag 315 Broadway, Concordia, Cloud County, Kansas KDHE Project Code: C5-015-72899

50 100 Feet

Scale: 1' = 100"



Approximate Site Boundary
ALL BOUNDARIES AND LOCATIONS ARE APPROXIMATE