





|           |                        |
|-----------|------------------------|
| Form      | ACO1 - Well Completion |
| Operator  | RJ Energy, LLC         |
| Well Name | WHETSTONE 19W          |
| Doc ID    | 1866894                |

#### Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|-------------------|-------------------|-----------------|--------|---------------|----------------|----------------------|----------------------------|
| Surface           | 9.875             | 7               | 17     | 20            | portland       | 8                    |                            |
|                   |                   |                 |        |               |                |                      |                            |
|                   |                   |                 |        |               |                |                      |                            |
|                   |                   |                 |        |               |                |                      |                            |

# RJ Energy, LLC

## Drill Log - Cement Log

|                             |                          |                                              |
|-----------------------------|--------------------------|----------------------------------------------|
| <b>Lease:</b> Whetstone     | <b>Start:</b> 7/25/2025  | <b>Surface:</b> 7 " 20 ' 8 Sacks             |
| <b>Well#</b> 19W - Dry Hole | <b>Finish:</b> 7/29/2025 | <b>Longstring:</b> Dry Hole Plugged 60 Sacks |
| <b>API#</b> 15-003-27247    |                          |                                              |

| Span | Formation     | Depth | Notes                                    |
|------|---------------|-------|------------------------------------------|
| 1    | Top Soil      | 1     | With company tools                       |
| 3    | Clay & Gravel | 4     | Ran 750, pumped 15 sacks                 |
| 54   | Lime          | 58    | Pulled to 500' pumped 15 sacks           |
| 154  | Shale         | 212   | Pulled to 250' filled to surface 30sacks |
| 38   | Sandy Shale   | 250   |                                          |
| 66   | Lime          | 316   |                                          |
| 104  | Shale         | 420   |                                          |
| 174  | Lime          | 594   |                                          |
| 28   | Shale         | 622   |                                          |
| 64   | Lime          | 686   |                                          |
| 24   | Shale         | 710   |                                          |
| 20   | Lime          | 730   |                                          |
| 5    | Shale         | 735   |                                          |
| 23   | Lime          | 758   |                                          |
| 4    | Shale         | 762   |                                          |
| 8    | Lime          | 770   |                                          |
| 7    | Shale         | 777   |                                          |
| 11   | Lime          | 788   |                                          |
| 8    | Shale         | 796   | Odor                                     |
| 36   | Shale         | 832   | TD                                       |