Confidentiality Requested:
☐ Yes ☑ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31119
Name: Lone Wolf Oil & Gas Co., LLC
Address 1: PO BOX 241
Address 2:
City: MOLINE State: KS Zip: 67353 + 0241
Contact Person: Rob Wolfe
Phone: (620) 647-3626
CONTRACTOR: License # 32701
Name: C & G Drilling, Inc.
Wellsite Geologist: Brandon Wolfe
Purchaser:

Designate Type of Completion:
☐ New Well ☐ Re-Entry ☑ Workover
☑ Oil ☐ WSW ☐ SWD
☐ Gas ☐ DH ☐ EOR
☐ OG ☐ GSW
☐ CM *(Coal Bed Methane)*
☐ Cathodic ☐ Other *(Core, Expl., etc.)*:

If Workover/Re-entry: Old Well Info as follows:
Operator: Lone Wolf Oil & Gas Co. LLC
Well Name: Kempton A 3
Original Comp. Date: 3/31/2022 Original Total Depth: 2730
☐ Deepening ☑ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD
☑ Plug Back ☐ Liner ☐ Conv. to GSW ☑ Conv. to Producer

☐ Commingled Permit #:
☐ Dual Completion Permit #:
☐ SWD Permit #:
☐ EOR Permit #:
☐ GSW Permit #:

10/30/2025		10/30/2025
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No.: 15-049-22626-00-02
Spot Description:
__ - NW - SW - SE Sec. 5 Twp. 31 S. R. 10 ☑ East ☐ West
1174 Feet from ☐ North / ☑ South Line of Section
1981 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
GPS Location: Lat: ____ *(e.g. xx.xxxxx)*, Long: ____ *(e.g. -xxx.xxxxx)*
Datum: ☐ NAD27 ☐ NAD83 ☐ WGS84
County: Elk
Lease Name: KEMPTON A Well #: 3
Field Name:
Producing Formation: Mississippi
Elevation: Ground: 1205 Kelly Bushing: 1214
Total Vertical Depth: 2730 Plug Back Total Depth: 2450
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from: 2549
feet depth to: 0 w/ 525 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. ☐ East ☐ West
County: Permit #:

AFFIDAVIT
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
☐ **Confidentiality Requested**
Date:
☐ **Confidential Release Date:**
☐ **Wireline Log Received** ☐ **Drill Stem Tests Received**
☐ **Geologist Report / Mud Logs Received**
☑ **UIC Distribution**
ALT ☐ **I** ☑ **II** ☐ **III** **Approved by:** Alexis Vincent **Date:** 12/02/2025

Page Two

Operator Name: Lone Wolf Oil & Gas Co., LLC Lease Name: KEMPTON A Well #: 3

Sec. 5 Twp. 31 S. R. 10 ☑ East ☐ West County: Elk

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken ☐ Yes ☑ No
(Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☑ No

Cores Taken ☐ Yes ☑ No

Electric Log Run ☐ Yes ☑ No

Geologist Report / Mud Logs ☐ Yes ☑ No

List All E. Logs Run:

☐ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
Kansas City	1550	-336
Ft Scott	1912	-698
Cherokee	1948	-734
Mississippi	2221	-1007

CASING RECORD ☑ New ☐ Used
Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8.625	26	40	Class A	50	3% cal.
Production	7.875	5.5	15.5	2549	60/40 Pozmix	525	KolSeal PhenoSeal

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate ☑ Protect Casing ☐ Plug Back TD ☐ Plug Off Zone	0-420	60/40 pozmix	100	4% gel 2% cal.
	-			

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☑ No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection: 11/05/2025

Producing Method: ☐ Flowing ☑ Pumping ☐ Gas Lift ☐ Other *(Explain)*

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease
(If vented, Submit ACO-18.)

METHOD OF COMPLETION: ☐ Open Hole ☑ Perf. ☐ Dually Comp. *(Submit ACO-5)* ☐ Commingled *(Submit ACO-4)*

PRODUCTION INTERVAL: Top 2213 Bottom 2223

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record *(Amount and Kind of Material Used)*
2	2213	2223	CIBP Cast Iron Bridge Plug	2450	600 Gal. Mud Acid 1000 Gal. 15% Gel Acid

TUBING RECORD: Size: 2.875 Set At: 2245 Packer At:

Mail to: KCC - Conservation Division, 266 N. Main, Suite 220, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Lone Wolf Oil & Gas Co., LLC
Well Name	KEMPTON A 3
Doc ID	1870335

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	26	40	Class A	50	3% cal.
Production	7.875	5.5	15.5	2549	60/40 Pozmix	525	KolSeal PhenoSeal