

ALT ☐ I ☐ II ☐ III Approved by: _____ Date: _____

Form	ACO1 - Well Completion
Operator	La Grange Acquisition, LP dba Energy Transfer Company
Well Name	LIB 19.3 1
Doc ID	1870851

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	14	8	0	20	bentonite	31	n/a

JOB NO: _____
GPS: ° _____
 ° _____



1700 E Seward Rd.
 Guthrie, Ok. 73044
 PH:(405)293-9777 F:(405)293-9779

COMPANY: _____
COMPANY REP.: _____
INSTALLATION DATE: _____
RECTIFIER LOCATION: _____
LEGAL DESCRIPTION _____
STATE: _____
COUNTY: _____
T -S _____ **R -** _____ **SEC -** _____ **QTR:** _____

INSTALLED BY: _____
CASING TYPE: _____
DIAMETER: _____
CASING DEPTH: _____
NO. OF ANODES: _____
ANODE TYPE: _____
ANODE LEAD TYPE: _____

DIA. HOLE: _____
DEPTH: _____
COKE TYPE: _____
LBS INST'D: _____
HOLE PLUG: _____
LOG VOLT: _____
SOURCE: _____

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
0					
10					
20					
30					
40					
50					
60					
70					
80					
90					
100					
110					
120					
130					
140					
150					
160					
170					
180					
190					
200					

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
210					
220					
230					
240					
250					
260					
270					
280					
290					
300					
310					
320					
330					
340					
350					

DRILLER'S COMMENTS:

JOB NO: _____
GPS: ° _____
 ° _____



1700 E Seward Rd.
 Guthrie, Ok. 73044
 PH:(405)293-9777 F:(405)293-9779

COMPANY: _____
COMPANY REP.: _____
INSTALLATION DATE: _____
RECTIFIER LOCATION: _____
LEGAL DESCRIPTION _____
STATE: _____
COUNTY: _____
T -S _____ **R -** _____ **SEC -** _____ **QTR:** _____

INSTALLED BY: _____
CASING TYPE: _____
DIAMETER: _____
CASING DEPTH: _____
NO. OF ANODES: _____
ANODE TYPE: _____
ANODE LEAD TYPE: _____

DIA. HOLE: _____
DEPTH: _____
COKE TYPE: _____
LBS INST'D: _____
HOLE PLUG: _____
LOG VOLT: _____
SOURCE: _____

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
0					
10					
20					
30					
40					
50					
60					
70					
80					
90					
100					
110					
120					
130					
140					
150					
160					
170					
180					
190					
200					

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
210					
220					
230					
240					
250					
260					
270					
280					
290					
300					
310					
320					
330					
340					
350					

DRILLER'S COMMENTS: