

ALT ☐ I ☐ II ☐ III Approved by: _____ Date: _____

Form	ACO1 - Well Completion
Operator	Wrestler, David L., a General Partnership
Well Name	SOUTH MYNATT 34
Doc ID	1876982

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12	7	10	20	portland	6	0
Production	5.625	2.875	8	750	poprtland	100	0



Hammerson Ready Mix

1300 2200 Rd.
Gas, KS 66742
620-365-7200

1740 US-54
Ft. Scott, KS 66701
620-224-2800

PLANT	TIME	DATE	ACCOUNT	TRUCK	DRIVER	TICKET
01	10:26	10/13/25	DMJ OIL	76	FRANK	26377

CUSTOMER NAME	DELIVERY ADDRESS
IRESTLERS 126 IDAHO RD UMBOLDT, KS 66748	2800 & DELAWARE

PURCHASE ORDER	SALES ORDER	TAX	CREDIT	SLUMP
	8476	ALLEN CO		4.00 in

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
10.00 yd	WELL MUD	WELL (10 BAGS PER YARD)	10.00	10.00		
1.00 ea	FUEL	FUEL SURCHARGE	1.00	1.00		
10.00 ea	HAUL & MI	HAUL & MIX	10.00	10.00		

LOADED	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
	:	:	:	:

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By
--	------------------------------------	---------	----

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water.
If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention.
KEEP OUT OF REACH OF CHILDREN

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES →	
RECEIVED IN GOOD CONDITION BY X	

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb line.
If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.

Drillers Log

Company: DMJ Oil.

Farm: South Mynatt

Well South Mynatt# 34

Operator#

Surface Pipe:20 ftwith 6 sacks

API.# 15-001-31911-00

Contractor: DMJ OIL

License #: 7160

County: Allen

7160 Sec: 13/26/19e.

location:3795 fsl

location:3495 fel

Spot: NE.NW.SE.NW

Started: 10/10/2025

finished: 10/13/2025

Thickness	Formation	Depth	Remarks
10ft	Top Soil	0-10	
5ft	sand stone	15ft	
10ft	Lime	25ft	
17ft	Shale	42ft	
155ft	Lime	197ft	
158ft	Shale	357ft	
34ft	Lime	391ft	
86ft	Shale	477ft	
21ft	Lime	498ft	
52ft	Shale	550ft	
17ft	Lime	567ft	
21ft	Shale	578ft	
5ft	Lime	583ft	
76ft	Shale	659ft	
2ft	Lime	661ft	
49ft	Shale	710ft	
12ft	Ol Sand	722ft	
67ft	Shale	790ft	
T.D Pipe 2/7/8	750ft		
T.D. Well	790ft.		