

Notice: Fill out COMPLETELY
and return to Conservation Division at
the address below within
60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4

March 2009

Type or Print on this Form

Form must be Signed

All blanks must be Filled

OPERATOR: License #: _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

Type of Well: (Check one) ☐ Oil Well ☐ Gas Well ☐ OG ☐ D&A ☐ Cathodic☐ Water Supply Well ☐ Other: _____ ☐ SWD Permit #: _____☐ ENHR Permit #: _____ ☐ Gas Storage Permit #: _____Is ACO-1 filed? ☐ Yes ☐ No If not, is well log attached? ☐ Yes ☐ No

Producing Formation(s): List All (If needed attach another sheet)

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____

Spot Description: _____

____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ ☐ East ☐ West_____ Feet from ☐ North / ☐ South Line of Section_____ Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

County: _____

Lease Name: _____ Well #: _____

Date Well Completed: _____

The plugging proposal was approved on: _____ (Date)

by: _____ (KCC District Agent's Name)

Plugging Commenced: _____

Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____

Address 1: _____ Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Phone: (_____) _____

Name of Party Responsible for Plugging Fees: _____

State of _____ County, _____, ss.

(Print Name) ☐ Employee of Operator or ☐ Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1/4% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE:** Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

ftv: 16-2022/08/12
mplv: 531-2026/04/24



CEMENT TREATMENT REPORT

Customer:	R&B Oil & Gas	Well:	Medicine River Ranch C-2	Ticket:	WP 7026
City, State:		County:	Barber, Ks.	Date:	5/8/2026
Field Rep:	Jeff Capps	S-T-R:	16-34s-11w	Service:	PTA

Downhole Information		Calculated Slurry - Lead		Calculated Slurry - Tail	
Hole Size:	7 7/8 in	Blend:		Blend:	H-Plug
Hole Depth:	ft	Weight:	ppg	Weight:	13.78 ppg
Casing Size:	5 1/2 in	Water / Sx:	gal / sx	Water / Sx:	6.9 gal / sx
Casing Depth:	600 ft	Yield:	ft ³ / sx	Yield:	1.43 ft ³ / sx
Tubing / Liner:	in	Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
Depth:	ft	Depth:	ft	Depth:	ft
Tool / Packer:		Annular Volume:	0.0 bbls	Annular Volume:	0 bbls
Tool Depth:	ft	Excess:		Excess:	
Displacement:	9.0 bbls	Total Slurry:	0.0 bbls	Total Slurry:	31.8 bbls
		Total Sacks:	0 sx	Total Sacks:	125 sx

TIME	RATE	PSI	BBLs	TOTAL BBLs	REMARKS
8:15 AM			-	-	On location - spot & rig up equipment - Job & Safety
				-	
				-	1st Plug: 600' - 500 lb. gel + 50 sacks cement
8:45 AM	3.5			-	Start gel via 5 1/2" casing
	3.5	550.0	8.0	8.0	Hole loads
	5.5	600.0	4.5	12.5	Gel in - start H-Plug at 13.8 ppg
	5.5	100.0	12.7	25.2	H-Plug in - start displacement (217' plug with casing in hole)
	5.0		9.0	34.2	Displacement in - stop pump
				-	2nd Plug: 334' - 50 sacks cement
9:20 AM	3.5			-	Start fresh water via 5 1/2" casing
	3.5	90.0	3.0	3.0	Hole loads
	4.5	90.0	1.0	4.0	Fresh water in - start H-Plug at 13.8 ppg
	4.5	80.0	12.7	16.7	H-Plug in - start displacement (217' plug with casing in hole)
	4.5		3.0	19.7	Displacement in - stop pump
					3rd Plug: 40' - circulate cement to surface
	3.0				Start fresh water via 5 1/2" casing
	3.0	50.0	3.0	3.0	Hole loads - start H-Plug at 13.8 ppg
10:00 AM	3.0	50.0	6.5	9.5	Circulate cement to surface with 25 sacks cement - stop pump
					Witnessed by KCC rep David Ring
					Thank you,
					Kenny, Keven, and Kevin

CREW		UNIT	SUMMARY		
Cementer:	K. Brungardt	913	Average Rate	Average Pressure	Total Fluid
Pump Operator:	K. Lesley	271	4.0 bpm	189 psi	63 bbls
Bulk #1:	K. Julian	529-534			
Bulk #2:					