

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	North Brown 1
Doc ID	1977853

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	24	20	Portland	8	None
Production	6.75	4.5	11.6	956	Thixotropic	120	2 #/sx Phenoseal

[illegible]

Colt Energy Driller's Log													
Lease: North Brown			Well No. 1		Well Location: 2075' FSL & 350' FWL			Sec. 10		Twp. 24S		Rng. 18E	
API #: 15-001-31873			Type: Oil		County: AL			State: KS		Spud Date: 8/21/24		Total Depth: 1026'	
Driller: Pat Stewart			Surface Casing		Bit Record				Coring Record				
Crew: Jake Benedict			Bit Size:	12.25"	Type	Size	Start	End	Core #	Size	Start	End	
			Casing Size:	20'	PDC	12.25"	0	20'	1				
Start Rig Hrs:			Casing Length:	8.625"	PDC	6.75"	20'	1026'	2				
End Rig Hrs:			Cement Used:	8 sx					3				
Total Rig Hrs:			Cement Type:	Portland					4				
From	To	Formation			From	To	Formation			4.5" Production Casing Tally			
0	50	Overburden/shale								1	36.00	19	39.50
50	100	Limestone								2	35.80	20	39.40
100	125	Shale								3	35.60	21	37.00
125	140	Limestone								4	35.60	22	35.40
140	175	Shale								5	36.10	23	35.60
175	295	Limestone								6	35.60	24	37.00
295	310	Shale								7	36.30	25	39.70
310	360	Sandstone								8	34.60	26	36.10
360	460	Shale								9	35.80	27	
460	490	Limestone								10	39.70	28	
490	520	Shale								11	36.50	29	
520	540	Sandstone								12	39.70	30	
540	570	Shale								13	36.30	31	
570	580	Limestone								14	36.50	32	
580	610	Shale								15	35.30	33	
610	640	Limestone								16	36.40	34	
640	850	Shale								17	35.70	35	
850	1026	Sandstone								18	35.00	36	
										Total: 952.20 + 4' shoe= 956.20'			