

Morton


FORM 51

KANSAS

Section 36 Township 33 Range 43W

Well No. #1 USA-Boice

Company Amerada Pet.



SEC.	TWP.	R.
36	33	43W ✓

WELL NO.

#1 USA-Boice

FARM

COMPANY

Amerada Petroleum

CONTRACTOR

Peel Drlg.

Greenwood Gas Pool

NORTH

Ft. from N. Line


330

Ft. from S. Line

Ft. from E. Line

330

Ft. from W. Line



SW SW NE

ELEVATION

REPORT

1954

3587'

2/3

Spud 1-30-54
8" @ 603'
WOC.

2/10

Pipe Stuck @ 1565'

2/17

Drlg 1790'

2/24

Anhy 1355', Top 2873' Lans 3138'
RTD 3320'
5" @ 3299'

3/3

CO 3250
24/ 3238-44 48/ 3210-22 2000 A
B/ 10 bswph 4 hrs. sq. PB 3195'
48/ 3146-58 1000 A S/ 3 bswph
/ 163,000' gas,
PB 3084'

/17

Spud 1-30-54 Gas well TD 3320
8" @ 603 Anhy 1355 Top 2873
Lans. 3138 TD 3320 5" @ 3299
CO to 3252 24/3238-44 48/3210-22
2000 A B/10 BSWPH 4 hr. SP 3195
48/3146-58 1000 A S/3 BSWPH
163,000 gas. PB 3084 232/3014-72
5000 A 1,492,000 gas SP 3000
Perf 2895-2982 2950-58 2942-50
6000 A 5,736,000 gas 2000 A
CO to 3082 6,581,000 gas 15,000 A
Comp. shut in gas well 6,448,000 gas.

County **Morton** State **Kansas**

Sec. **36** (Blk. Twp.) **33** (Sur. Rge.) **43W** Map No.

Operator **Amerada Petroleum**

Well No. **1** Farm **USA-Boice**

Elev.	Location	SW	S	W	NE
-------	----------	----	---	---	----

FIRST REPORT

330 Ft. From **S** Line **NE**

330 Ft. From W Line Quarter

1st. Report FEB 3 1954

Completion

Remarks

Peel Drlg. - Contr.

Spudding Date **1-30-54**

Orig. Data **Greenwood Gas Pool**

8" 603 WOC

County Worton State Kansas

Sec. 36 (Blk. Twp.) 33 (Sur. Rge.) 43rd Map No.

Operator Amos de Petroleurs

Well No. 1 Farm USA-Boice

Elev. 3587 Location S 1 2 1 2

330 Ft. From S Line 15

750 Ft. From Line Quarter

1st. Report

Completion **MAR 17 1954**

Remarks Greenwood gas po

Feel D-1c. - Contr.

Spudding Date 1-30-54

Drig. Data Gas well TD 3520

8" 603 Anhy 1355 Ton. 2173

Lans. 3138 TL 3320 5" x 5209

CC to 3252 34/ 3258-44 46/ 3210-22

2000 A 5/10 15wph 4 hr. SP 3195

48/ 3142-53 1000 A 3/ 3 bswch

165,000 cas PB 3084 232/ 3014-72

5000 1 1.462.000 cas DE MAXO

perf/ 2825-2882 2850-58 2842-50

6000 A 5.750,000 cas 1000 A 00 to 502

6,581,000 lbs 15000 A

Corp. shut in as well 6.443.000 cas 430

J. G. McGEHEE