

KANSAS

Calloworth


Form 51-5M-11-31-Palace

Map No. _____ Sec. 21 Twp. 16 R. 10^W

Well No. 6 Frevert (Frevert) Farm

Gypsy + Stanolind Company

NORTH



SOUTH

O. W. D. D

Location _____

Drilling Remarks _____

Rig Up _____

Drilling Remarks _____

RECORD

Cased _____ in. _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ cu. ft.

Dry Hole _____

Abandoned _____

Ellsworth

Form 252-A
5M 4-32 MPC

KANSAS

Map No. _____ Sec. 21 Twp. 16 R. 10^W

Well No. 1-Friervert Farm _____


Gypsy-Stanolind Company

330 Ft. from N. Line

_____ Ft. from S. Line

330 Ft. from E. Line

_____ Ft. from W. Line



Date
1933

REPORT

O. W. D. D

3/15 R.O.G.
3/27 Rigging up
3/29 20" 286 Wdly 390'
4/4 15" 487-13"-1080 Dely 1455'
4/12 10" 1995 dely 2110'
4/19 dely 2835'
4/26 8"-3142 ~~rig~~ running 6" 3339'
5/4 6" 3342' Silencer 3345-60'
2800' oil in 20 hrs No test
5/10 swab 287 bbls 24-hrs
5/17 _____
5/24 Pump 115-bbls 10-hrs acidize
5/31 Silencer line 3345-60
Treated 1000 gallons
acid swab 60 bbls
per hour

COMPLETED

OVER

O. W. D. D

1936

11/4-Old T. D. 3360

Rigging up for Water disposal well

11/12--Drlg. 3421.

11/19--Drlg. 3700'.

11/27 Drlg. 3850'.

12/3 6" @ 3344'. T. D. 3863'.

Under ream 6".

12/10 6" @ 3460'. Drlg. 3863'.

12/17 T. D. 3954'. Shut down.

12/22 Sand 3408'. T. D. 3954'.

Water disposal.

Will take 250 bbls. water per
hour.

ABANDONED

55 KANSAS

Map No. _____ Sec. 21 Twp. 16 R. 10 W

Well No. 1 Frevert

Gypsy & Stanoline Company

Contractor

FIRST REPORTS

330 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

SECTION PLAT

Location _____

Rig up _____

Drilling and Remarks:

R. S.

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

MAR 1 5 1933

CHAS. L. SHERWOOD

192

Scout

Ellsworth **KANSAS**
 Map No. _____ Sec. *21* Twp. *16* R. *10W*
 Well No. *55* - *1* - *Prevert*

Sydney - Stanolind Company
 _____ Contractor

SECTION PLAT

330 Ft. from N. Line

_____ Ft. from S. Line

330 Ft. from E. Line

_____ Ft. from W. Line

			O

COMPLETED

Location _____

Rig up _____

Drilling and Remarks:

Siliceous line

3345-60

Treated 1000

gallons acid.

Swab 60 Bls

Per hr

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth *3360*

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

5/31/33 192

O. Mannschreck Scout

Map No. 55 Sec. 21 Twp. 16 R. 10W

Well No. 1 Faver

Standard & Gulf Company

Contractor

SECTION PLAT

			0

230 Ft. from N. Line

_____ Ft. from S. Line

320 Ft. from E. Line

_____ Ft. from W. Line

FIRST REPORT

OW II

Location _____

Rig up _____

Drilling and Remarks:

Old TD 3360
Rigging up for
water disposal
well

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

Nov 2 1938

C. J. EWING Scout

KANSAS

Map No. 55 Sec. 21 Twp. 16 R. 10WWell No. 1 F. 2228Standard & Gulf Company

Contractor

SECTION PLAT

330 Ft. from N. Line Ft. from S. Line330 Ft. from E. Line Ft. from W. Line

			0

ABANDONED**ABANDONED**Location Rig up

Drilling and Remarks:

Sanal 8408Take 25888 h water
per hrWater disp. real

RECORD

Cased in., ft.Sand Gas Oil Total Depth 3954

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

DEC 22 1936₁₉

S. J. LEWIS

Scout