

State Kansas County Edwards


Company Messman-Lincoln Well No. 3

Farm Hahn "A" Workover

Survey SE New SW

Block No. _____ Sec. 4 Twp. 24S Range 16W

Co-Ord. _____ Elev. 2282 KB



25% A. A. Sedigrow Jr
 25% Ramona Sedigrow
 50% M-R
 Cont. Alexander & W
 Prod. George Klein

NOTE: Show Sketch of Lease and Well Location in Above Space

Ft. from N. Line

Ft. from S. Line

Ft. from W. Line

Ft. from E. Line

Date	Depth	
3/15/71		MIRT
3/16		Logging up
3/17	3919	Ø Bit #1
3/18	4116	Ø Bit #2
3/19	4120	Log Study Pauglon
		erate 4133, Log
		Mississippi 4161 (2079)
		DST #1 4162-80
		Lead open 1 hr.

697332

Date	Depth	GTS 20" TSTM
3/19		Rec. 65' m, 1BHP
		1068#/30" RBHP
		1248#/1 hr, RP 31-31
		Temp. 114°
		Ø ahead
		OST #2 4182-4205
		Tool open 1 1/4 hrs
		good show through
		Rec 520' gas in
		pipe 20' mud,
		124P 348#/30" IRP
		31# R-RP 31# R31P
		623#/1 hr Temp 118°
		Sub 4 1/2" reg 4229
		20 show cur, 1 lb
		Gel
		Ring down 4:00 pm.
		Rotary Total Depth
		4220
		Mist
		4161-69 Surf 500
		M acid, 200,000
		MAP Surc. 250000

Ø 25, and the sand.

Max Press. 2200 lbs -
 Impulsion rate 22 Bls Per Min

Page - 2 -

State Kansas County Edward


Company _____ Well No. 3

Farm Hahn "a" Workover

Survey SE. NW SW

Block No. _____ Sec. 4 Twp. 24S Range 16W

Co-Ord. _____ Elev. 2282 KB



NOTE: Show Sketch of Lease and Well Location in Above Space

Ft. from N. Line

Ft. from S. Line

Ft. from W. Line

Ft. from E. Line

Date	Depth	
		send 25000 returns
		3 1/2 x 3 MC, 2 IP
		900# tubing, 750#
		eq.
4/5/71		to below & clean
		flow 2, no, no cuft, rate 575 lbs
		tubing & 881 lbs eq.
		recovered 200 lbs fluid from a total
		load of 884 lbs injected.
		See Press. eq. 1214 lbs Tubg 1214.

