


H. W. WILSON  
Robinson No. 2.

SEC.17 T.25 R.5 E  
SE NW NW SW  
490'f NL 490'f WL SW  $\frac{1}{2}$

Total Depth. 2557'  
Comm. 6-29-43 Comp. 7-14-43  
Shot or Treated.  
Contractor. R.J.Wixson  
Issued. 8-14-43

County. Butler



CASING:  
15  $\frac{1}{2}$ " 240' 8  $\frac{1}{2}$ " 2160'  
12  $\frac{1}{2}$ " 878' 7" 2540'  
10" 1700'

Elevation.

Production. 40 B.

Figures Indicate Bottom of Formations.

shale	0-30	lime	900	shale	2465
clay 4 BW	40	shale	905	red rock	2475
wtr lime	45	lime	945	shale	2505
shale	50	shale	955	lime	2510
lime sdy	60	lime	960	shale	2513
lime	90	shale	1000	lime	2515
shale	135	lime	1005	shale	2517
lime	165	shale	1050	lime	2520
slate	175	lime	1075	shale & red rock	2525
shale	205	shale	1095	lime, sh oil	2540
red rock	210	lime	1105	Est. prod. 40 B.	
shale blue	215	shale	1140	chat	2552
lime	235	lime	1155	chert	2557
slate	240	shale	1160	Total Depth.	
shale	245	lime	1210		
lime sdy	250	shale	1215		
shale	265	lime	1245		
lime	275	shale	1260		
shale	300	lime	1285		
lime	310	shale	1290		
slate	325	lime	1300		
lime	345	shale	1315		
shale	350	lime	1340		
lime	360	shale	1345		
shale	370	lime	1420		
lime	380	shale	1465		
shale	395	LBW 1365-70			
lime	430	lime	1525		
shale	470	shale	1535		
lime	490	lime	1560		
shale	495	shale	1580		
lime	520	lime	1590		
shale	524	shale	1620		
lime	540	5 BW 1625-40			
shale	615	lime	1640		
lime	620	shale	1698		
shale	645	lime	1700		
lime	650	shale	1715		
shale	655	lime	1720		
lime	660	shale	1730		
shale	685	lime hd	1735		
lime	695	shale	1795		
shale	700	lime	1950		
lime & sand	720	LBW 1840-50			
oil show 715-20		2 $\frac{1}{2}$ BW 1900-10			
shale	725	shale	2090		
lime	730	lime K.C.	2250		
shale	770	shale	2255		
lime	775	lime	2260		
shale	800	shale	2330		
lime	805	lime	2345		
shale	825	shale	2360		
lime	830	red rock	2365		
shale	840	lime	2375		
lime 2 BW	845	shale	2410		
shale	850	lime	2415		
lime	855	shale	2420		
shale	860	lime	2430		
lime	878	shale	2435		
shale	880	lime	2455		