


Company - P. J. SCHWARTZ ET AL
Farm - Deming No. 1

SEC. 19 T. 25 R. 5 E
SWc NW
380' fr WL 330' fr SL NW $\frac{1}{4}$

Total Depth. 2672'
Comm. 3-30-44 Comp. 5-1-44
Shot or Treated.
Contractor. R. J. Wixson
Issued. 5-27-44

County. Butler
KANSAS



CASING:
15 $\frac{1}{2}$ " 243' P
12 $\frac{1}{2}$ " 950' P
10" 1725' P
7" 2517 $\frac{1}{2}$ ' P

Elevation. _____

Production. Dry

Figures Indicate Bottom of Formations.

cellar	8	lime	1060	Top K.C. Lime 2105
lime	15	shale blue	1075	
slate	40	lime	1105	
red rock	50	shale	1110	
lime	70	lime & shale	1145	
blue shale	75	shale	1175	
shale & sandy gravel	85	lime	1180	
lime (1 BW 85-90)	180	shale	1200	
shale blue	200	lime	1245	
lime (HFW 100-10)	215	shale	1250	
shale	220	lime	1280	
red rock	225	shale	1285	
shale	230	lime	1315	
lime	275	shale	1325	
shale & red rock	290	lime	1335	
lime	300	shale	1340	
shale	305	lime	1360	
lime	310	shale	1363	
shale	335	lime (3 BW 1410-1455)	1455	
lime	345	shale	1505	
shale	370	lime	1545	
lime	375	shale	1550	
shale	400	lime	1570	
lime	410	shale	1590	
shale	420	lime	1595	
sh oil 430-435		shale (1 BW 1640-1650)	1725	
lime (1 BW 440-445)	470	lime	1735	
shale	480	shale	1745	
lime	515	lime	1760	
shale	520	shale	1813	
lime	595	lime (1 BW 1850-1860)	1980	
shale	635	shale	2105	
lime	640	lime	2205	
shale	652	slate	2210	
oil sand	662	lime	2261	
Good show of oil		shale	2275	
2BW 652-62		lime	2280	
shale blue	668	shale	2335	
red rock	670	lime	2345	
lime	675	shale	2360	
shale	680	lime	2365	
shale limestone	700	shale	2375	
shale	710	lime	2390	
lime	720	shale	2420	
shale	735	lime	2440	
lime	745	shale	2446	
shale	750	lime broken	2470	
lime	785	shale	2474	
shale	795	red rock	2477	
lime	815	shale	2508	
shale	875	chat	2517 $\frac{1}{2}$	
sand	885	very hard chat 2511-2517 $\frac{1}{2}$		
8 BW		- chat	2523	
lime	910	- chat & lt shale	2526	
shale	920	shale & lime	2533	
blue shale	970	lime	2552	
shale	980	shale 2 BW	2645	
lime	990	Viola lime (HFW @ 2672)	2672	
shale	1030	Total Depth		
lime	1040			
shale	1050			