

State Geological Survey
WICHITA BRANCH

2-28-15E² *add*

TYPE



AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. _____

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

F Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238. ___ No Log

LICENSE # 6014 EXPIRATION DATE 6-30-83

OPERATOR L & L Oil Company API NO. 15=205-21,222

ADDRESS P.O. Box 13 COUNTY Wilson

Benedict, Kansas 66714 FIELD _____

** CONTACT PERSON Douglas Lamb PROD. FORMATION Cattleman
PHONE 316-698-2495

PURCHASER Square Deal Oil Company LEASE Orendorff

ADDRESS P.O. Box 883 WELL NO. 9A

Chanute, KS 66720 WELL LOCATION _____

DRILLING Company Tools 1410 Ft. from East Line and

CONTRACTOR 940 Ft. from South Line of (E)
ADDRESS _____ the SW (Qtr.) SEC 2 TWP 28 S RGE 15 E

PLUGGING _____ (Office Use Only)
CONTRACTOR _____
ADDRESS _____

TOTAL DEPTH 997 PBTD _____

SPUD DATE 10-3-80 DATE COMPLETED 10-17-80

ELEV: GR _____ DF _____ KB _____

DRILLED WITH (CABLE) ROTARY (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE _____

Amount of surface pipe set and cemented 51 DV Tool Used? No

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

WELL PLAT

		2	

KCC _____
KGS
SWD/REP _____
PLG. _____

A F F I D A V I T

Douglas L. Lamb, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

2-28-82

SIDE TWO

OPERATOR L & L Oil Co.

LEASE Orendorff

ACO-1 WELL HISTORY (E)
SEC. 2 TWP 28S RGE. 15E (17)

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 9A

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.				
Soil		5		
Shale		130		
Lime		140		
Shale		195		
Lime		246		
Shale		295		
Lime		408		
Coal		416		
Shale		440		
Lime		532		
Shale		740		
Lime		760		
Shale		790		
Lime		820		
Shale		905		
Coal		908		
Shale		939		
Oil Sand/Shale		951		
Shale		968		
Oil Sand/Shale		974		
Shale		997		

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used		Depth interval treated
Fracture with 80 sacks of sand, 250# Rock Salt		938 - 943
and 200 bbl gelled water		966 - 970
Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity
12-20-80	Pumping	
Estimated Production -I.P.	Oil	Gas
	1 bbls.	MCF
		Water %
		bbls.
Disposition of gas (vented, used on lease or sold)		Perforations

Report of all strings set— surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	9 5/8"	7"	17#	51	Portland A	14	
Production	5 1/4"	2 7/8"	6 1/2#	990'	Portland A	105	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD			3	2 1/8" Alum	938' - 943'
Size	Setting depth	Packer set at			
1	950'		3	2 1/8" Alum	966' - 970'